

Table of Contents

	Page
1 Introduction	1
1.1 Main Validation Topics	1
1.2 Technical Results	2
1.3 Cooperative Strategy	3
1.4 Conclusions	5
2 Structure of the EUROVAL Project	7
2.1 List of Tasks and Brief Descriptions	7
2.2 Task Matrix	9
2.3 Application List	9
2.4 List of Partners	10
3 Description of Turbulence Models	13
3.1 Algebraic Models	13
3.1.1 Introduction	13
3.1.2 The Baldwin-Lomax [BL] Model (1978)	14
3.1.3 The Granville [GR] Model (1987)	15
3.1.4 The Cebeci-Smith [CS] Model (1974)	16
3.1.5 The Goldberg [GB] Backflow Model (1986)	18
3.2 One-half Equation Turbulence Models	20
3.2.1 Introduction	20
3.2.2 The Johnson-King [JK] Model (1985)	20
3.2.3 The Johnson-Coakley [JC] Model (1990)	22
3.2.4 The Horton [HO] Model (1990)	24
3.3 One-Equation Models	26
3.3.1 Introduction	26
3.3.2 The Wolfshtein [W] Model (1969)	26
3.3.3 The Hassid-Poreh [HP] Model (1975)	27
3.4 Two-Equation Models	28
3.4.1 Introduction	28
3.4.2 The Jones-Lauder and Lauder-Sharma [JL] Models (1972, 1974)	28

Table of Contents (continued)

	Page
3.4.3 The Chien [C] Model (1982)	29
3.4.4 The Lam-Bremhorst [LB] Model (1981)	30
3.4.5 The "Standard" High-Reynolds-number Jones-Launder [SJL] Model (1972)	31
3.5 Reynolds-Stress Models	32
3.5.1 Introduction	32
3.5.2 The Gibson-Launder-Rodi Reynolds-Stress [RS] Model (1978)	32
3.6 Calculation of Boundary Layer Length Scales	34
4 Numerical Methods Used by Partners	37
4.1 Description of Method Used by Analysis Systems Research Ltd. (S. Perrakis, M. Tzitzidis)	37
4.1.1 Introduction	37
4.1.2 Method.	37
4.1.3 Boundary Conditions	38
4.1.4 Grid Adaption	38
4.1.5 Modifications to the 'Standard' Turbulence Models.....	38
4.1.6 Computers and CPU-Times	38
4.2 Description of Methods Used by British Aerospace (J. J. Benton) ..	39
4.2.1 Introduction	39
4.2.2 2D Multiblock Navier-Stokes	39
4.2.2.1 Summary	39
4.2.2.2 Transport Equations	39
4.2.2.3 Discretisation	40
4.2.2.4 Artificial Dissipation	42
4.2.2.5 Time Integration	43
4.2.2.6 Multigrid Acceleration	44
4.2.2.7 Turbulence Models	45
4.2.2.8 Boundary Conditions	47
4.2.2.9 Integrated Forces	48
4.2.2.10 Computational Performance	48
4.2.3 3D Multiblock Viscous-Coupled Euler	48
4.3 Description of Method Used by CAPTEC (E. A. Cox)	49
4.3.1 Introduction	49

Table of Contents (continued)

	Page
4.3.2 Method	49
4.3.3 Grid Adaptation	49
4.3.4 Modifications of the Cebeci-Smith Model	50
4.4 Description of Methods Used by Construcciones Aeronáuticas S.A. - CASA (A. Abbas, J.J. Guerra)	51
4.4.1 Introduction	51
4.4.2 Navier-Stokes Approach	51
4.4.2.1 Governing Equations	51
4.4.2.2 Numerical Formulation	52
4.4.2.3 Artificial Dissipation	53
4.4.2.4 Turbulence Model Application	54
4.4.2.5 Numerical Details	54
4.4.3 Euler Approach	55
4.4.3.1 Governing Equations	55
4.4.3.2 Dissipation Model	56
4.4.3.3 Numerical Details	57
4.5 Description of Method Used by CERFACS (L. Davidson, A. Kourta, L.Tourette)	58
4.5.1 Introduction	58
4.5.2 Method 1 (Single Element and Bumps)	58
4.5.3 Method 2 (Multi-Element)	59
4.5.4 Method 3 (DLR-F5 Wing)	60
4.5.4.1 Mesh	60
4.5.4.2 The Mean-Flow Equations and their Approximation	62
4.5.4.3 The k- ϵ Turbulence Model and its Approximation	65
4.6 Description of Method Used by CFD norway (I. Øye, E. Ørbekk, H. Nørstrud)	69
4.6.1 Introduction	69
4.6.2 Governing Equations	69
4.6.3 Numerical Method	70
4.6.4 Modifications to 'Standard' Turbulence Models	71
4.6.5 Mesh Generation	71
4.7 Description of Methods Used by Deutsche Airbus (E. Elsholz)	72
4.7.1 Introduction	72
4.7.2 Navier-Stokes Approach	72

Table of Contents (continued)

	Page
4.7.3 Boundary Layer Approach	75
4.7.3.1 'Locally Infinite Swept Wing' (LISW) Boundary Layer Method	75
4.7.3.2 The 3D Boundary Layer Method	76
4.8 Description of Method Used by DLR (D. Schwamborn)	78
4.8.1 Introduction	78
4.8.2 The Block Structured Navier-Stokes Method	78
4.8.3 Boundary Conditions	79
4.8.4 Performance of the Code	80
4.8.5 Turbulence Models	80
4.8.5.1 The Baldwin-Lomax Model (BL)	80
4.8.5.2 The Granville Modification of the Baldwin-Lomax Model (GR)	81
4.8.5.3 The Johnson-King Model (JK)	81
4.8.5.4 The Johnson-Coakley Model (JC)	81
4.9 Description of Method Used by Dornier (W. Haase, W. Fritz)	82
4.9.1 Introduction	82
4.9.2 The Boundary Layer Method	82
4.9.2.1 Numerical Approach	82
4.9.2.2 Turbulence Model Implementation	83
4.9.3 The Navier-Stokes Method	83
4.9.3.1 Governing Equations	83
4.9.3.2 Finite Volume Method	84
4.9.3.3 Filtering Technique	84
4.9.3.4 Convergence Acceleration	85
4.9.3.5 Steady State	85
4.9.3.6 Boundary Conditions	85
4.9.3.7 Mesh Generation	86
4.9.3.8 Modifications to Original Versions of Turbulence Models	87
4.10 Description of Method Used by NLR (F.J. Brandsma)	89
4.10.1 Introduction	89
4.10.2 Governing Equations	89
4.10.3 Discretization in Space	90
4.10.4 Time Integration	92
4.10.5 Convergence Acceleration	93

Table of Contents (continued)

	Page
4.10.6 Boundary Conditions.....	93
4.10.7 Turbulence Models	94
4.10.8 Parameter Settings and Code Performance	95
4.11 Description of Method Used by RAE (P.D. Smith)	97
4.11.1 Governing Equations	97
4.11.2 Numerical Method	98
4.11.3 Initial and Boundary Conditions.....	99
4.11.4 Turbulence Models	99
4.12 Description of Method Used by SAAB (B. Arlinger, T. Larsson) ...	100
4.12.1 Introduction	100
4.12.2 Numerical Method (SAAB)	100
4.12.3 Turbulence Modelling	100
4.12.3.1 The Baldwin-Lomax (BL) Model	101
4.12.3.2 The Two-Layer k - ϵ Model	101
4.12.4 Grid Generation	101
4.12.5 Numerical Method (HUT)	102
4.13 Description of Method Used by TU Berlin (L. Xue, T. Rung, F. Thiele)	103
4.13.1 Transformation and Discretisation of the Governing Equations	103
4.13.2 Space Marching Integration Scheme	105
4.13.3 Turbulence Models	106
4.14 Description of Method Used by TU Denmark (J. Michelsen, J.N. Sørensen)	107
4.14.1 2D Navier-Stokes Method for Incompressible Flow	107
4.14.2 3D Navier-Stokes Method for Direct Simulation of Vortex Breakdown	109
4.15 Description of Method Used by UMIST (G. Page, M.A. Leschziner)	111
4.15.1 Governing Equations	111
4.15.2 Discretisation	111
4.15.3 Time Marching	113
4.15.4 Time-Stepping Control	114
4.15.5 Artificial Dissipation	115

Table of Contents (continued)

	Page
4.15.6 Multigrid Acceleration	116
4.15.7 Turbulence Models	117
4.16 Description of Method Used by VUB (M. Mulas, Ch. Hirsch)	118
4.16.1 Introduction	118
4.16.2 Cell-Centred Finite Volume Formulation	118
4.16.3 High Resolution TVD Schemes	119
4.16.4 Time Integration	121
4.16.5 Observations	121
5 Application-Oriented Discussion of Results	123
5.1 Airfoil Flow RAE-2822 Cases 9 and 10	125
5.1.1 Introduction	127
5.1.2 Overview on Investigations	127
5.1.3 Mandatory Mesh and Parameter Set Establishment, Effect of Camber Correction	129
5.1.4 Effect of Turbulence Modelling: Mandatory Test Cases	131
5.1.4.1 Algebraic Turbulence Models	134
5.1.4.2 Half-Equation Turbulence Models	136
5.1.4.3 Transport and Reynolds Stress Turbulence Models (C), (SJL-W), (RS)	137
5.1.5 Effect of Mesh: Density, Extension and Far-Field Condition ..	138
5.1.5.1 Mesh Density Effects	138
5.1.5.2 Mesh Extension Effects	141
5.1.5.3 Effects of Far-Field Boundary Condition	141
5.1.6 Effect of Mach Number	142
5.1.7 Effect of Numerical Incidence	144
5.1.8 Summary / Conclusions	146
5.2 ONERA Bumps A and C	185
5.2.1 Introduction	187
5.2.2 Overview of Contributors and Contributions	188
5.2.3 Turbulence Models	190
5.2.4 Numerical Algorithms	192
5.2.5 Grids	192
5.2.6 Boundary Conditions	193
5.2.7 Resource Requirements	194

Table of Contents (continued)

	Page
5.2.8 Results	195
5.2.8.1 Introductory Comments	195
5.2.8.2 Delery Case A	196
5.2.8.3 Delery Case C	201
5.2.9 Conclusions	204
5.3 Maximum Lift Investigations for A-Airfoil	267
5.3.1 Partners Versus Methods and Models	269
5.3.2 Discussion of Results	269
5.3.3 Limits of Applicability	270
5.3.4 Turbulence Model Validation	270
5.3.5 Matrix of Distinct Values	270
5.4 High-Lift Investigations for NLR 7301 Flapped Airfoil	305
5.4.1 Introduction	307
5.4.2 Partners and Methods	307
5.4.3 Test Cases	309
5.4.4 Computational Grids	310
5.4.5 Discussion of Results	311
5.5 Two-Dimensional Boundary Layers.....	349
5.5.1 Introduction	351
5.5.2 Test Cases	351
5.5.3 Turbulence Models	352
5.5.4 Discussion of Results	352
5.5.4.1 Stanford IDENT-1300	352
5.5.4.2 Stanford IDENT-1400	353
5.5.4.3 Stanford IDENT-2200	354
5.5.4.4 Stanford IDENT-2400	355
5.5.4.5 Stanford IDENT-2600	356
5.5.5 Conclusions	356
5.6 Three-Dimensional Boundary-Layers	389
5.6.1 Introduction	391
5.6.2 Partners and Methods	391
5.6.3 Turbulence Models	391
5.6.4 Discussion of Results	392
5.6.4.1 Infinite Swept Wing Test Case BEEL72	392

Table of Contents (continued)

	Page
5.6.4.2 Cylinder on Flat Plate Test Case DEFE77	393
5.6.5 Conclusions	393
5.7 DLR-F5 Wing Test Case	405
5.7.1 Introduction	407
5.7.2 Results from Euler and Navier-Stokes Calculations	408
5.7.3 Results from Boundary-Layer Calculations	417
5.7.4 Comparison Between Boundary-Layer and Navier-Stokes Results	419
5.7.5 Concluding Remarks	420
5.8 2D and 3D Wind-Tunnel Simulations	489
5.8.1 Introduction	491
5.8.2 2D Tunnel Simulation: RAE 5225 Aerofoil	492
5.8.2.1 Aerofoil Characteristics and Wind-Tunnel Measurements	492
5.8.2.2 Wind Tunnel Corrections	493
5.8.2.3 Mesh Generation	494
5.8.2.4 Flow Calculation and Evaluation of Corrections	494
5.8.2.5 Results	496
5.8.2.6 Conclusions	497
5.8.3 3D Tunnel Interference Simulation: DLR-F5 Wing	497
5.8.3.1 The DLR-F5 Wing and Wind-Tunnel Measurements ..	497
5.8.3.2 Mesh Generation	498
5.8.3.3 Flow Calculation	498
5.8.3.4 Results	499
5.8.3.5 Conclusions	500
5.8.4 Overall Conclusion	500
5.9 Vortex Breakdown	513
5.9.1 Introduction	515
5.9.2 Test Cases	515
5.9.3 Discussion and Results	512
5.9.3.1 Vortex Embedded in a Constant Axial Flow Field ..	516
5.9.3.2 Vortex Embedded in Plane Shear Flow	516
5.9.4 Conclusion	517
6 Reference List	523