

TABLES OF CONTENTS

<u>PART 1. Stationary point processes and Palm probabilities</u>	1
<u>1. Stationary marked point processes</u>	2
1.1. The canonical space of point processes on \mathbb{R}	
1.2. Stationary point processes	
1.3. Stationary marked point processes	
1.4. Two properties of stationary point processes	
<u>2. Intensity</u>	7
2.1. Intensity of a stationary point process	
2.2. Intensity measure of a stationary marked point process	
<u>3. Palm probability</u>	8
3.1. Mecke's definition	
3.2. Invariance of the Palm probability	
3.3. Campbell's formula	
3.4. The exchange formula (or cycle formula) and Wald's equality	
<u>4. From Palm probability to stationary probability</u>	13
4.1. The inversion formula	
4.2. Feller's paradox	
4.3. The mean value formulae	
4.4. The inverse construction	
<u>5. Examples</u>	18
5.1. Palm probability of a superposition of independent point processes	
5.2. Palm probability associated with selected marks	
5.3. Palm probability of selected transitions of a Markov chain	
<u>6. Local aspects of Palm probability</u>	21
6.1. Korolyuk and Dobrushin's infinitesimal estimates	
6.2. Conditioning at a point	
<u>7. Characterization of Poisson processes</u>	23
7.1. Predictable σ -fields	
7.2. Stochastic intensity and Radon-Nikodym derivatives	
7.3. Palm view at Watanabe's characterization theorem	
<u>8. Ergodicity of point processes</u>	27
8.1. Invariant events	
8.2. Ergodicity under the stationary probability and its Palm probability	
8.3. The cross ergodic theorem	
<u>References for Part 1 : Palm probabilities</u>	31

PART 2. Stationary queueing systems

<u>1. The $G/G/1/\infty$ queue : construction of the customer stationary state</u>	34
1.1. Loynes' problem	
1.2. Existence of a finite stationary load	
1.3. Uniqueness of the stationary load	
1.4. Construction points	
1.5. Initial workload and long term behaviour	
<u>2. Formulae for the $G/G/1/\infty$ queue</u>	40
2.1. Construction of the time-stationary workload	
2.2. Little's formulae : the FIFO case	
2.3. Probability of emptiness	
2.4. Takacs formulae	
<u>3. The $G/G/s/\infty$ queue</u>	43
3.1. The ordered workload vector	
3.2. Existence of a finite stationary workload vector	
3.3. Construction points	
3.4. The busy cycle formulae	
<u>4. The $G/G/1/0$ queue</u>	48
4.1. Definition and examples	
4.2. Construction of an enriched probability space	
4.3. Construction of a stationary solution	
<u>5. Other queueing systems</u>	54
5.1. The $G/G/\infty$ pure delay system	
5.2. The $G/G/1/\infty$ queue in random environment	
5.3. Priorities in $G/G/1/\infty$: the vector of residual service times	
5.4. Optimality properties of the SPRT rule	
<u>6. The Bedienungssysteme</u>	62
6.1. The mechanism and the input	
6.2. A heuristic description of the dynamics	
6.3. The initial generalized state	
6.4. The evolution	
6.5. Examples	
<u>7. The insensitivity balance equations</u>	69
7.1. Stability and regularity assumptions	
7.2. Insensitivity balance equations	
7.3. Examples	
7.4. Assumption on the input	
7.5. Two immediate consequences of the insensitivity balance equations	

<u>8. The insensitivity theorem</u>	73
8.1. The Palm version	
8.2. From Palm to stationary	
8.3. The stationary version and Matthes product form	
<u>9. Insensitivity balance equations are necessary for insensitivity</u>	77
9.1. The converse theorem	
9.2. The method of stages	
9.3. Proof of the converse theorem	
9.4. Example	
<u>10. Poisson streams</u>	84
10.1. Privileged transitions	
10.2. Sufficient conditions for Poissonian streams	
<u>Appendix</u>	86
1. Change of scale	
2. Proof of insensitivity	
3. The transition marks	
4. Proof of (8.3.5)	
5. Proof of (9.1.3)	
6. Proof of the converse theorem in the general case	
<u>References for part 2: Stationary queueing systems</u>	95
<u>Bibliography</u>	100