

Contents

Preface XIII

List of Contributors XV

1	Carbon Dioxide Reduction and Uses as a Chemical Feedstock	1
	<i>Michele Aresta</i>	
1.1	Introduction	1
1.2	Properties of the CO ₂ Molecule	3
1.2.1	Molecular Geometry	3
1.2.2	Spectroscopic Properties	3
1.2.2.1	Vibrational	3
1.2.2.2	UV-Vis	4
1.2.2.3	¹³ C-Nuclear Magnetic Resonance (NMR)	4
1.2.3	Energy Data and Reaction Kinetics Relevant to CO ₂ Conversion	5
1.3	CO ₂ Coordination to Metal Centers and Reactivity of Coordinated CO ₂	6
1.3.1	Modes of Coordination	6
1.3.2	Interaction of CO ₂ with Metal Atoms at Low Temperature: Stability of the Adducts	8
1.3.3	Reactivity of CO ₂ Coordinated to Transition Metal Systems	8
1.4	CO ₂ Conversion	9
1.4.1	Carboxylation Reactions	10
1.4.1.1	C–C Bond Formation	10
1.4.1.1.1	Natural Processes	11
1.4.1.1.2	Artificial Processes	12
1.4.1.2	N–C Bond Formation	16
1.4.1.3	O–C Bond Formation	18
1.4.1.3.1	Cyclic Carbonates	18
1.4.1.3.2	Linear Carbonates	22
1.4.1.4	Use of Urea as an Active-CO ₂ Form	26
1.4.1.5	Transesterification Reactions	27
1.4.2	Reduction Reactions	28

1.4.2.1	Energetics of the Reactions	28
1.4.2.1.1	Natural Processes	28
1.4.2.1.2	Artificial Processes	29
1.4.2.1.3	Photoelectrochemical Reduction	33
1.5	Conclusions	34
	References	35
2	Nitrogen Monoxide and Nitrous Oxide Binding and Reduction	43
	<i>Dong-Heon Lee, Biplab Mondal, and Kenneth D. Karlin</i>	
2.1	Introduction	43
2.2	NO	44
2.2.1	Bonding and Structures of Metal Nitrosyls	44
2.2.1.1	Heme Proteins: Guanylate Cyclase – NO Binding and <i>Trans</i> -bond Labilization	47
2.2.1.2	Bridging (η^1 - μ_2 -) Complexes	49
2.2.1.3	η^1 - μ_3 -NO Bridging Complexes	49
2.2.1.4	η^2 -NO Bridging Complexes	50
2.2.1.5	Isonitrosyl and Side-on η^2 -NO Complexes	50
2.2.1.6	Side-on η^2 -NO Copper Protein Structures	51
2.2.1.7	Spectroscopic Features of Nitrosyl Metal Complexes	53
2.2.2	Chemical Reduction of NO and Related Chemistry	53
2.2.2.1	Chemical Reduction of Metal-bound NO	53
2.2.2.1.1	Metal–NO Reduction Accompanied by N–O Cleavage	56
2.2.2.2	Electrophilic Attack on Metal-bound NO: HNO (Nitroxyl) Complexes	58
2.2.2.3	Electrocatalytic Reduction of NO	60
2.2.2.4	Biological NO Reduction: NORs	61
2.2.2.4.1	Bacterial NORs of the Heme Copper Oxidase (HCO) Type	61
2.2.2.4.2	Models for NORs	63
2.2.2.4.3	Fungal P450-type NORs	63
2.2.2.4.4	Flavorubredoxins as Scavenging (S)-NORs	64
2.2.2.5	Metal Complex-mediated NO Disproportionation	65
2.3	N ₂ O	66
2.3.1	Structure and Bonding	66
2.3.2	Metal-mediated N ₂ O Reduction	68
2.3.2.1	Oxo Transfer Reactions	68
2.3.2.2	Catalytic Oxo Transfer	70
2.3.2.3	N ₂ O N–N Bond Cleavage	70
2.3.2.4	Electrocatalytic Reduction of N ₂ O to N ₂	71
2.3.2.5	Biological N ₂ O Reduction	72
2.4	Summary and Conclusions	73
	References	74

3	Bio-organometallic Approaches to Nitrogen Fixation Chemistry	81
	<i>Jonas C. Peters and Mark P. Mehn</i>	
3.1	Introduction – The N ₂ Fixation Challenge	81
3.2	Biological N ₂ Reduction	83
3.2.1	General Comments	83
3.2.2	Structural Data	84
3.2.3	Assigning the FeMoco Oxidation States	85
3.3	Biomimetic Systems that Model Structure and Function	86
3.3.1	General Comments	86
3.3.2	Mononuclear Molybdenum Systems of Biomimetic Interest	86
3.3.2.1	The Originally Proposed “Chatt Cycle”	87
3.3.2.2	An Electrocatalytic Reduction Cycle using Low-valent Tungsten	89
3.3.2.3	A Mo(III)-mediated Catalytic N ₂ Reduction System	90
3.3.2.4	A Cp*MMe ₃ (N ₂) Model System (M = Mo, W)	92
3.3.2.5	Bimetallic Molybdenum Systems that Cleave N ₂	93
3.3.2.6	Sulfur-supported Mo-N ₂ Complexes	95
3.3.3	Considering Mechanisms Involving Multiple and Single Iron Sites for N ₂ Reduction	96
3.3.3.1	General Comments	96
3.3.3.2	Theoretical Studies that Invoke Iron-mediated Mechanisms	96
3.3.3.2.1	Comparing Several Proposed Mechanisms	97
3.3.3.3	Synthetic Efforts to Model N ₂ Reduction by Multiple Iron Sites	103
3.3.3.4	Nitrogenase-related Transformations at Cluster Models	104
3.3.3.5	Considering N ₂ Fixation Involving a Scheme Single Iron Site	107
3.3.3.6	Model Studies that May be Relevant to N ₂ Fixation Involving a Single Iron Site	108
3.3.3.6.1	Fe(0)-N ₂ Complexes and NH ₃ versus N ₂ H ₄ Production	108
3.3.3.6.2	Low-coordinate Iron Model Systems	109
3.4	Concluding Remarks	115
	References	116
4	The Activation of Dihydrogen	121
	<i>Jesse W. Tye and Michael B. Hall</i>	
4.1	Introduction	121
4.1.1	Why Activate H ₂ ?	121
4.1.2	Why is it so Difficult to Activate H ₂ ?	122
4.2	Structure and Bonding of Metal-bound H-Atoms	124
4.2.1	Why can Metal Centers React Directly with H ₂ , while most Nonmetals Cannot?	124
4.2.2	Seminal Work: The Discovery of Metal-bound H ₂ Complexes	125
4.2.3	What are the Possible Consequences when H ₂ Approaches a Coordinatively Unsaturated Transition Metal Center?	126
4.2.4	Elongated η^2 -H ₂ Complexes	128
4.2.5	Experimental Gauges of the H–H Interaction and Degree of Activation	129

4.2.5.1	Neutron Diffraction	129
4.2.5.2	^1H NMR Studies: HD Coupling	130
4.2.5.3	^1H NMR Studies: Proton Relaxation Time (T_1 Measurements)	130
4.2.5.4	IR and Raman Spectral Studies: $\nu(\text{H-H})$ Measurements	130
4.3	Intramolecular H-Atom Exchange	131
4.3.1	Rotation of $\eta^2\text{-H}_2$ Ligands	132
4.3.2	H_2/H^- Exchange	134
4.3.3	Hydride-Hydride Exchange	135
4.4	Nonclassical H-Bonds	136
4.4.1	Hydride Ligands as Nonclassical H-Bond Acceptors	136
4.4.2	$\eta^2\text{-H}_2$ as a Nonclassical H-Bond Donor	136
4.5	Reactivity of Metal-bound H-Atoms	137
4.5.1	How Does the Reactivity of Metal-bound H-atoms Compare to that of Free H_2 ?	137
4.5.2	Metal-Monohydride Species – “Hydride Ligands can be Acidic!”	138
4.5.3	Increased Acidity of $\eta^2\text{-H}_2$	139
4.5.4	Seminal Work: Intramolecular Heterolytic Cleavage of H_2	141
4.6	Recent Advances in the Activation of Dihydrogen by Synthetic Complexes	141
4.6.1	H_2 Uptake by a Pt-Re Cluster	141
4.6.2	H_2 Binding to Ir^{III} Initiates Conversion of CF_3 to CO	142
4.6.3	Encapsulation of H_2 in C_{60}	142
4.6.4	Conversion of Biomass to H_2	142
4.6.5	First Group 5 $\eta^2\text{-H}_2$ Complex	142
4.7	Enzymatically Catalyzed Dihydrogen Oxidation and Proton Reduction	142
4.7.1	General Information about H_2 ase Enzymes	143
4.7.1.1	$[\text{NiFe}]\text{H}_2\text{ase}$	143
4.7.1.2	$[\text{FeFe}]\text{H}_2\text{ase}$	145
4.7.2	H_2 Production by N_2ase	148
4.7.2.1	General Information about N_2ase Enzymes	148
4.7.2.2	Molybdenum-Iron-containing N_2ase	149
4.8	Conclusions	149
	Acknowledgments	150
	Abbreviations	150
	References	150
5	Molecular Oxygen Binding and Activation: Oxidation Catalysis	159
	<i>Candace N. Cornell and Matthew S. Sigman</i>	
5.1	Introduction	159
5.2	Additive Coreductants	161
5.2.1	Aldehydes	161
5.2.2	Coupled Catalytic Systems	165
5.2.2.1	Organic Cocatalysts	166

5.2.2.2	Metal Cocatalysts	166
5.2.2.2.1	Copper	166
5.2.2.2.2	Multicomponent Coupled Catalytic Cycles	169
5.3	Ligand-modified Catalysis	170
5.3.1	Porphyrin Catalysis	171
5.3.2	Schiff Bases	172
5.3.2.1	Industrial Considerations	175
5.3.3	Nitrogen-based Ligands	176
5.3.4	Other Ligand Systems	180
5.3.4.1	N-Heterocyclic Carbenes (NHCs)	180
5.3.4.2	Polyoxometalates (POM)	180
5.4	Conclusions and Outlook	182
	References	183
6	Dioxygen Binding and Activation: Reactive Intermediates	187
	<i>Andrew S. Borovik, Paul J. Zinn and Matthew K. Zart</i>	
6.1	Introduction	187
6.1.1	An Example: Cytochromes P450	188
6.1.1.1	Mechanism	188
6.1.1.2	The Role of the Secondary Coordination Sphere in Catalysis	190
6.1.2	Effective O ₂ Binders and Activators in Biology	191
6.1.2.1	Accessibility	191
6.1.2.2	Secondary Coordination Sphere	191
6.1.2.3	Flow of Electrons and Protons	192
6.1.2.4	Lessons from Nature	192
6.2	Dioxygen Binders	192
6.2.1	Respiratory Proteins	192
6.2.1.1	Hemoglobins	192
6.2.1.2	Hemerythrin	193
6.2.1.3	Hemocyanins	194
6.2.2	Synthetic Analogs	194
6.2.2.1	Hemoglobin Models	195
6.2.2.2	Hemerythrin Models	196
6.2.2.3	Synthetic μ -Peroxo Diiron Complexes	197
6.2.2.4	Structurally Characterized μ -Peroxo Diiron Complexes	198
6.2.2.5	Monomeric Nonheme Iron–Dioxygen Adducts	200
6.2.2.6	Models for Hemocyanin	202
6.2.2.7	Monomeric Copper–Dioxygen Adducts	204
6.3	Reactive Intermediates: Iron and Copper Species	207
6.3.1	Reactive Species with Fe-oxo Motifs	208
6.3.1.1	Reactive Species from Monomeric Heme Iron–Dioxygen Complexes	208
6.3.1.2	Reactive Species from Monomeric Nonheme Iron–Dioxygen Complexes	209
6.3.1.3	Reactive Intermediates: Nonheme Fe(IV)-oxo Species	212

6.3.2	Reactive Iron and Copper Intermediates with $M(\mu\text{-O})_2M$ Motifs	215
6.3.2.1	Reactive Intermediates with $\text{Cu(III)}(\mu\text{-O})_2\text{Cu(III)}$ Motifs	215
6.3.2.2	Reactive Intermediates with $\text{Cu}_3(\mu\text{-O})_2$ Motifs	217
6.3.2.3	Reactive Intermediates with $\text{Fe}(\mu\text{-O})_2\text{Fe}$ Motifs	218
6.4	Cobalt–Dioxygen Complexes	221
6.4.1	Cobalt– η^2 -Dioxygen Complexes	221
6.4.2	Dinuclear Cobalt– μ -superoxo Complexes	222
6.5	Manganese–Dioxygen Complexes	225
6.6	Nickel–Dioxygen Complexes and Their Reactive Intermediates	227
6.7	Summary	229
	Acknowledgments	229
	References	229
7	Methane Functionalization	235
	<i>Brian Conley, William J. Tenn, III, Kenneth J. H. Young, Somesh Ganesh, Steve Meier, Jonas Oxgaard, Jason Gonzales, William A. Goddard, III, and Roy A. Periana</i>	
7.1	Methane as a Replacement for Petroleum	235
7.2	Low Temperature is Key to Economical Methane Functionalization	237
7.2.1	Lower Temperature Leads to Lower Costs	237
7.2.2	Methane Functionalization by CH Hydroxylation	238
7.2.3	Methane as the Least Expensive Reductant on the Planet	238
7.2.4	Selectivity is the Key to Methane Functionalization by CH Hydroxylation	240
7.2.5	Requirements of Methane Functionalization Chemistry Influenced by Plant Design	241
7.2.6	Strategy for Methane Hydroxylation Catalyst Design	244
7.3	CH Activation as a Pathway to Economical Methane Functionalization via CH Hydroxylation	245
7.3.1	CH Activation is a Selective, Coordination Reaction	245
7.3.2	Comparison of CH Activation to Other Alkane Coordination Reactions	248
7.3.3	Some Key Challenges and Approaches to Designing Hydroxylation Catalysts Based on the CH Activation Reaction	253
7.3.3.1	Stable Catalyst Motifs for CH Activation	254
7.3.3.2	Slow Rates of CH Activation-based Catalysts	257
7.3.3.2.1	Catalyst Inhibition by Ground State Stabilization	257
7.3.3.2.2	Use of Acidic Solvents to Minimize Catalyst Inhibition by Ground State Destabilization	260
7.3.3.2.3	Catalyst Modifications that Minimize Catalyst Inhibition by Ground State Stabilization	264
7.3.3.2.4	Heterolytic CH Activation with Electron-rich Metal Complexes	267
7.3.3.3	Coupling CH Activation with Functionalization	270
7.3.3.3.1	Functionalization by Formal C–O Reductive Eliminations	270

7.3.3.3.2	Functionalization by Oxidative Insertion	273
7.3.3.3.3	Functionalization by O-Atom Insertion	276
7.4	Conclusions and Perspective for Methane Functionalization	282
	References	283
8	Water Activation: Catalytic Hydrolysis	287
	<i>Lisa M. Berreau</i>	
8.1	Introduction	287
8.1.1	Water Activation	287
8.1.2	Catalytic Hydrolysis	287
8.2	Water Activation: Coordination Sphere Effects on M-OH ₂ Acidity and Structure	288
8.2.1	Primary Coordination Environment	288
8.2.2	Secondary H-Bonding	293
8.2.3	Intramolecular H-Bonding and Mononuclear Zn-OH Stabilization	297
8.2.4	Structural Effects Derived from M-OH ₂ Acting as an Intramolecular H-Bond Donor to a Bound Phosphate Ester	298
8.2.5	Ligand Effects on the pK _a of a Metal-bound Water in Co(III) and Fe(III) Complexes	299
8.2.6	Acidity and Water Exchange Properties of Organometallic Aqua Ions	300
8.3	Secondary H-Bonding Effects on Substrate Coordination, Activation and Catalytic Hydrolysis Involving Phosphate Esters	302
8.3.1	H-Bonding and Phosphate Ester Coordination to a Metal Center	302
8.3.2	H-Bonding and Stoichiometric and Catalytic Phosphate Ester Hydrolysis	304
8.4	Summary and Future Directions	312
	References	314
9	Carbon Monoxide as a Chemical Feedstock: Carbonylation Catalysis	319
	<i>Piet W. N. M. van Leeuwen and Zoraida Freixa</i>	
9.1	Introduction	319
9.1.1	Heterogeneous Processes	319
9.1.2	Homogeneous Catalysts	321
9.2	Rhodium-catalyzed Hydroformylation	322
9.2.1	Introduction	322
9.2.2	CO as the Ligand	323
9.2.3	Phosphites as Ligands	324
9.2.4	Arylphosphines as Ligands	328
9.2.4.1	Monophosphines	328
9.2.4.2	Diphosphines	329
9.2.4.2.1	1-Alkenes	333

9.2.4.2.2	2-Alkenes	335
9.2.4.2.3	Mechanistic Studies	336
9.2.5	Alkylphosphines as Ligands	337
9.2.5.1	Monophosphines	337
9.2.5.2	Dirhodium Tetrphosphine	338
9.3	Methanol Carbonylation	339
9.3.1	Introduction	339
9.3.2	Mechanism and Side-reactions of the Monsanto Process	340
9.3.3	Oxidative Addition of MeI to Rhodium – The Rate-limiting Step	342
9.3.4	Ligand Design	344
9.3.5	<i>Trans</i> -diphosphines in Methanol Carbonylation – Dinuclear Systems?	347
9.3.6	Iridium Catalysts	349
9.4	Concluding Remarks	351
	References	351

Subject Index	357
----------------------	-----