

CONTENTS

| | |
|----------------------------|------|
| Contributing Authors | xvii |
|----------------------------|------|

| | |
|---------------|-----|
| Preface | xxv |
|---------------|-----|

I. HISTORY, REGULATION, AND RISK ASSESSMENT

| | |
|---|----|
| Chapter 1. AN OVERVIEW OF INJECTION WELL HISTORY IN THE UNITED STATES OF AMERICA | 3 |
| <i>J.E. Clark, D.K. Bonura, and R.F. Van Voorhees</i> | |
| 1.1. Introduction | 3 |
| 1.2. Prior to EPA UIC Regulations | 4 |
| 1.3. EPA UIC Regulations | 5 |
| 1.4. Class I Hazardous Well Regulations | 7 |
| 1.5. Risk Analysis | 8 |
| 1.6. Summary | 10 |
| References | 11 |
| Chapter 2. DEEP INJECTION DISPOSAL OF LIQUID RADIOACTIVE WASTE IN RUSSIA, 1963–2002: RESULTS AND CONSEQUENCES | 13 |
| <i>A.I. Rybalchenko, M.K. Pimenov, V.M. Kurochkin, E.N. Kamnev, V.M. Korotkevich, A.A. Zubkov, and R.R. Khafizov</i> | |
| 2.1. Introduction | 13 |
| 2.2. Characteristics of Deep-Well Injection Sites and Preliminary Investigation | 14 |
| 2.3. Investigations of Waste Behavior and New Data Received While Operating Deep-Well Injection Sites | 16 |
| 2.4. Safety Requirements and Criteria While Performing Site Injection for Liquid Radioactive Waste at the Present Time | 17 |
| 2.5. Conclusion | 18 |
| References | 19 |
| Chapter 3. APPLICATIONS OF DEEP-WELL INJECTION OF INDUSTRIAL AND MUNICIPAL WASTEWATER IN TEXAS | 21 |
| <i>B. Knape</i> | |
| 3.1. Introduction | 21 |
| 3.2. Regulatory Jurisdiction and Federal Program Authorization | 21 |
| 3.3. Definition of Terms | 22 |
| 3.4. Well Numbers and Locations | 22 |
| 3.5. Technical Requirements of Rules | 22 |
| 3.6. General Characteristics of Injected Waste Streams | 23 |
| 3.7. Industries with Current or Historical Use of Class I Injection Wells | 24 |
| 3.8. Proposed Uses of Class I Injection Wells | 26 |
| 3.9. Conclusion | 27 |
| References | 28 |
| Chapter 4. WHY CURRENT REGULATIONS PROTECT FLORIDA'S SUBSURFACE ENVIRONMENT | 29 |
| <i>A. Muniz, M. Tobon, and F. Bloetscher</i> | |
| 4.1. Introduction | 29 |
| 4.2. Current Raw Water Supply | 30 |

| | |
|--|----|
| 4.3. Effluent Disposal Alternatives | 31 |
| 4.4. Risk Issues | 34 |
| 4.5. Environmental Regulations | 34 |
| 4.6. Injection Well Construction and Testing | 35 |
| 4.7. Summary | 38 |
| References | 38 |
| Chapter 5. AN INTERPRETATION OF THE SAFE DRINKING WATER ACT'S "NON-ENDANGERMENT" STANDARD FOR THE UNDERGROUND INJECTION CONTROL (UIC) PROGRAM | 39 |
| <i>B.J. Kobelski, R.E. Smith, and A.L. Whitehurst</i> | |
| 5.1. Introduction | 39 |
| 5.2. Statutory and Regulatory Authority | 39 |
| 5.3. Approaches for Preventing Endangerment | 40 |
| 5.4. Conclusions | 42 |
| Acknowledgments and Disclaimer | 43 |
| References | 43 |
| Chapter 6. THE APPROPRIATE METHODOLOGY FOR DETERMINING THE USE OF A FIXED-RADIUS AREA OF REVIEW OR ZONE OF ENDANGERING INFLUENCE, WHEN CONDUCTING AN AREA-OF-REVIEW ANALYSIS FOR UNDERGROUND INJECTION CONTROL OPERATIONS | 45 |
| <i>S. Stephen Platt and D. Rectenwald</i> | |
| 6.1. Introduction | 45 |
| 6.2. Methodologies | 46 |
| 6.3. Conclusion | 49 |
| Chapter 7. ANALYSIS OF INJECTATE LOCATION AT DUPONT BEAUMONT WORKS | 51 |
| <i>J.W. Mercer, C.R. Faust, C. Brown, and J.E. Clark</i> | |
| 7.1. Introduction | 51 |
| 7.2. Geology | 54 |
| 7.3. Analysis | 55 |
| 7.4. Conclusions | 64 |
| References | 64 |
| Chapter 8. AQUIFER STORAGE AND RECOVERY WELLS IN FLORIDA: HOW AND WHEN WILL IMPACT BE REGULATED? | 65 |
| <i>A. Muniz, M. Tobon, and F. Bloetscher</i> | |
| 8.1. Introduction | 65 |
| 8.2. The Concept | 66 |
| 8.3. Floridan Aquifer System | 67 |
| 8.4. ASR Development in Florida | 69 |
| 8.5. Everglades Restoration—ASR Component | 70 |
| 8.6. Concerns about Aquifer Storage and Recovery on a Large Scale | 72 |
| 8.7. Governing Regulations | 75 |
| 8.8. Conclusions and Recommendations | 76 |
| References | 77 |
| Chapter 9. ALASKA-SAKHALIN 2002 SYMPOSIUM DISCUSSION OF UNDERGROUND INJECTION CONTROL IN ARCTIC OILFIELDS | 79 |
| <i>T. Cutler and D. Thurston</i> | |
| 9.1. Introduction | 79 |
| 9.2. Background | 80 |
| 9.3. Well Drilling and Operation | 82 |

| | |
|---|----|
| 9.4. Water Discharge Disposal Routes | 83 |
| 9.5. The Underground Injection Control Presentation to Sakhalin | 84 |
| 9.6. Conclusions | 90 |
| Acknowledgments | 90 |
| References | 90 |

| | |
|---|-----------|
| Chapter 10. A PROBABILISTIC RISK ASSESSMENT OF CLASS I HAZARDOUS WASTE INJECTION WELLS | 93 |
| <i>W.R. Rish</i> | |

| | |
|---|-----|
| 10.1. Introduction | 93 |
| 10.2. Background | 94 |
| 10.3. Methodology | 96 |
| 10.4. Class IH Injection Well System Definition | 97 |
| 10.5. Failure Modes and Effects Analysis | 101 |
| 10.6. Event and Fault Tree Development | 101 |
| 10.7. Event-Frequency-Distribution Development | 102 |
| 10.8. Quantitative Analysis of Event Trees | 102 |
| 10.9. Probabilistic Risk Assessment (PRA) Results | 102 |
| 10.10. Overall Loss of Waste Isolation Results | 118 |
| 10.11. Conclusions and Recommendations | 120 |
| References | 122 |

II. WELL TESTING AND HYDROLOGIC STUDIES

| | |
|--|------------|
| Chapter 11. REPLACING ANNUAL SHUT-IN WELL TESTS BY ANALYSIS OF REGULAR INJECTION DATA: FIELD-CASE FEASIBILITY STUDY | 139 |
| <i>D. Silin, C.-F. Tsang, and H. Gerrish</i> | |

| | |
|---------------------------------------|-----|
| 11.1. Introduction | 139 |
| 11.2. Description of the Method | 140 |
| 11.3. Analysis of Field Data | 141 |
| 11.4. Conclusions | 148 |
| Acknowledgments | 149 |
| References | 149 |

| | |
|---|------------|
| Chapter 12. EXPERIMENTAL STUDY OF INJECTION-INTERVAL HYDRAULIC ISOLATION FROM OVERLYING FORMATION AT THE DISPOSAL SITE OF THE SIBERIAN CHEMICAL COMPLEX, USING HIGH-ACCURACY HYDRAULIC HEAD MEASUREMENTS | 151 |
| <i>A.A. Zubkov, V.A. Sukhorukov, A.I. Zykov, E.A. Redkin, V.M. Shestsakov, S.P. Pozdniakov, V.A. Bakshevskay, and V.M. Kurockin</i> | |

| | |
|---|-----|
| 12.1. Introduction | 151 |
| 12.2. Monitoring Equipment and Measurements | 152 |
| 12.3. Monitoring Data Processing | 153 |
| 12.4. Results | 154 |
| Acknowledgments | 155 |
| References | 155 |

| | |
|---|------------|
| Chapter 13. GULF COAST BOREHOLE-CLOSURE-TEST WELL NEAR ORANGE, TEXAS | 157 |
| <i>J.E. Clark, D.K. Bonura, P.W. Papadeas, and R.R. McGowen</i> | |

| | |
|---|-----|
| 13.1. Introduction and Background | 157 |
| 13.2. Test Interval Selection | 158 |
| 13.3. Borehole-Closure Testing | 159 |
| 13.4. Summary | 166 |
| References | 166 |

| | | |
|--|-------|-----|
| Chapter 14. INTERPRETATION OF TRANSIENT PERMEABILITY TESTS TO ANALYZE THE EVOLUTION OF A BRINE-FILLED SALT CAVERN | | 167 |
| <i>Aron Behr</i> | | |
| 14.1. Introduction | | 167 |
| 14.2. Experimental Design | | 167 |
| 14.3. Code PaTe for Test Evaluation | | 168 |
| 14.4. Test Evaluation Procedure | | 170 |
| 14.5. Evaluation Results | | 171 |
| 14.6. Relationship between Permeability and Stress State | | 174 |
| 14.7. Conclusions | | 176 |
| References | | 176 |
| Chapter 15. POTENTIAL CORROSION AND MICROBIOLOGICAL MECHANISMS AND DETECTION TECHNIQUES IN SOLUTION MINING AND HYDROCARBON STORAGE WELLS | | 177 |
| <i>Ken E. Davis and Larry K. McDonald</i> | | |
| 15.1. Introduction | | 177 |
| 15.2. The Corrosion Process | | 178 |
| 15.3. Microbiologically Influenced Corrosion (MIC) | | 186 |
| 15.4. Conclusions and Recommendations | | 191 |
| References | | 192 |
| Chapter 16. CHARACTERIZATION OF SUBSURFACE HETEROGENEITY: INTEGRATION OF SOFT AND HARD INFORMATION USING MULTIDIMENSIONAL COUPLED MARKOV CHAIN APPROACH | | 193 |
| <i>Eungyu Park, Amro Elfeki, and Michel Dekking</i> | | |
| 16.1. Introduction | | 193 |
| 16.2. Theoretical Background | | 194 |
| 16.3. THE 3-D Coupled Markov Chain Model | | 194 |
| 16.4. Application of the 2-D and 3-D CMC Model | | 196 |
| 16.5. Summary and Conclusions | | 199 |
| Acknowledgments | | 201 |
| References | | 202 |
| Chapter 17. MODELING OF WASTE INJECTION IN HETEROGENEOUS SANDY CLAY FORMATIONS | | 203 |
| <i>S.P. Pozdniakov, V.A. Bakshevskay, A.A. Zubkov, V.V. Danilov, A.I. Rybalchenko, and C.-F. Tsang</i> | | |
| 17.1. Introduction | | 203 |
| 17.2. Development of a 3-D Model for Heterogeneity | | 204 |
| 17.3. Flow and Transport Model Calibration | | 210 |
| 17.4. Analysis of Effective Hydraulic and Transport Properties | | 212 |
| 17.5. Modeling of the Injection History | | 215 |
| 17.6. Conclusions | | 217 |
| Acknowledgments | | 218 |
| References | | 218 |
| Chapter 18. NON-DARCY FLOW BEHAVIOR NEAR HIGH-FLUX INJECTION WELLS IN POROUS AND FRACTURED FORMATIONS | | 221 |
| <i>Y.-S. Wu</i> | | |
| 18.1. Introduction | | 221 |
| 18.2. Mathematical Model and Numerical Formulation | | 222 |
| 18.3. Dimensionless Variables and Analytical Solutions | | 224 |
| 18.4. Type Curves of Non-Darcy Flow | | 225 |
| 18.5. Summary and Conclusions | | 232 |
| Acknowledgments | | 233 |
| References | | 233 |

| | |
|--|-----|
| Chapter 19. MODELING DENSITY CHANGES IN HAZARDOUS DISPOSAL WELL PLUMES | 235 |
| <i>R.G. Larkin and J.E. Clark</i> | |
| 19.1. Introduction | 235 |
| 19.2. Generic Model Description | 236 |
| 19.3. Generic Model Inputs | 237 |
| 19.4. Modeling Results—Variation of Rate Schedule, Runs 1 and 2 | 237 |
| 19.5. Modeling Results—Variation of Injectate Density | 238 |
| 19.6. Results—Model Run 3 | 239 |
| 19.7. Results—Model Run 4 | 239 |
| 19.8. Results—Model Run 5 | 240 |
| 19.9. Results—Model Run 6 | 240 |
| Conclusion | 241 |
| References | 242 |
| Chapter 20. LEAKOFF MODELING OF FLUID INJECTED IN GAS RESERVOIR AT FRACTURE STIMULATION | 243 |
| <i>A. Behr and G. Mtchedlishvili</i> | |
| 20.1. Introduction | 243 |
| 20.2. Reconstruction of Fracture Propagation | 245 |
| 20.3. Estimation of the Leakoff Coefficient | 246 |
| 20.4. Identification of Exponent γ | 246 |
| 20.5. Conclusions | 251 |
| Acknowledgments | 253 |
| References | 253 |
| III. GEOCHEMISTRY | |
| Chapter 21. PREDICTING TRACE METAL FATE IN AQUEOUS SYSTEMS USING A COUPLED EQUILIBRIUM-SURFACE-COMPLEXATION DYNAMIC-SIMULATION MODEL | 257 |
| <i>J.A. Dyer, N.C. Scrivner, B.C. Fritzler, D.L. Sparks, S.J. Sanders, and P. Trivedi</i> | |
| 21.1. Introduction | 257 |
| 21.2. OLI Software | 258 |
| 21.3. DynaChem Model | 258 |
| 21.4. Surface Complexation Model Calibration | 260 |
| 21.5. Definition of Case Studies | 260 |
| 21.6. Results and Discussion | 262 |
| References | 269 |
| Chapter 22. REVIEW OF THE STUDIES OF RADIONUCLIDE ADSORPTION/DESORPTION WITH APPLICATION TO RADIOACTIVE WASTE DISPOSAL SITES IN THE RUSSIAN FEDERATION | 271 |
| <i>V.G. Rumynin, L.N. Sindalovskiy, P.K. Konosavsky, A.V. Mironova, E.V. Zakhарова, E.P. Kaimin, E.B. Pankina, and A.A. Zubkov</i> | |
| 22.1. Introduction | 271 |
| 22.2. Radon Site | 273 |
| 22.3. EUR Site | 288 |
| 22.4. Tomsk-7 Site | 290 |
| 22.5. Krasnoyarsk-26 Site | 297 |
| 22.6. Lake Karachai Site | 301 |
| 22.7. Conclusions | 304 |
| Acknowledgments | 306 |
| References | 306 |
| Appendix A. A Non-equilibrium Model of Dual-Site, One-Component Adsorption | 308 |

| | |
|---|-----|
| Appendix B. Sorption Coefficients (KFS, NS, and KD) from Batch Sorption Experiments with Lomonosovsky Sand (the Radon site) | 309 |
| Appendix C. A Kinetic Model of Adsorption with Concomitant Mineral Dissolution | 310 |
| | |
| Chapter 23. CHEMICAL INTERACTIONS BETWEEN WASTE FLUID, FORMATION WATER, AND HOST ROCK DURING DEEP-WELL INJECTION | 313 |
| <i>N.F. Spycher and R.G. Larkin</i> | |
| 23.1. Introduction | 313 |
| 23.2. Chemical Characterization of Formation Waters Prior to Waste Injection | 313 |
| 23.3. Simulation of Chemical Interaction between Native Fluid, Waste, and Host Rock | 316 |
| 23.4. Discussion and Conclusions | 324 |
| Acknowledgments | 325 |
| References | 325 |
| | |
| Chapter 24. WATER-ROCK GEOCHEMICAL CONSIDERATIONS FOR AQUIFER STORAGE AND RECOVERY: FLORIDA CASE STUDIES | 327 |
| <i>J.D. Arthur, A.A. Dabous, and J.B. Cowart</i> | |
| 24.1. Introduction | 327 |
| 24.2. Historical Overview | 328 |
| 24.3. Research Goals | 328 |
| 24.4. Hydrogeologic Setting | 329 |
| 24.5. Water-Quality Changes | 329 |
| 24.6. The Aquifer System Matrix | 331 |
| 24.7. Discussion | 334 |
| 24.8. Conclusions | 337 |
| Acknowledgments | 337 |
| References | 338 |
| | |
| Chapter 25. GROUTING WITH MINERAL-FORMING SOLUTIONS—A NEW TECHNIQUE FOR SEALING POROUS AND FRACTURED ROCK BY DIRECTED CRYSTALLIZATION PROCESSES | 341 |
| <i>G. Ziegenbalg</i> | |
| 25.1. Introduction | 341 |
| 25.2. Fundamentals | 342 |
| 25.3. Sealing of Porous or Fractured Rock Formation by Induced Crystallization | 347 |
| 25.4. In Situ Immobilization by Crystallization Processes | 351 |
| 25.5. Conclusions | 357 |
| Acknowledgments | 358 |
| References | 358 |
| | |
| IV. LIQUID WASTE INJECTION | |
| | |
| Chapter 26. INJECTING BRINE AND INDUCING SEISMICITY AT THE WORLD'S DEEPEST INJECTION WELL, PARADOX VALLEY, SOUTHWEST COLORADO | 361 |
| <i>K. Mahrer, J. Ake, L. Block, D. O'Connell, and J. Bundy</i> | |
| 26.1. Introduction | 361 |
| 26.2. The Project | 361 |
| 26.3. Local Geology | 362 |
| 26.4. Injection Well and Operations | 363 |
| 26.5. Paradox Valley Seismic Network | 364 |
| 26.6. PVSN Recording Sensitivity | 365 |
| 26.7. Seismicity and Injection | 366 |
| 26.8. Seismicity and Local geology | 369 |
| 26.9. Porosity and Reservoir Lifetime | 373 |

| | |
|--|-----|
| 26.10. Findings | 373 |
| 26.11. Retrospective | 374 |
| Acknowledgments | 374 |
| References | 374 |
| | |
| Chapter 27. EVALUATION OF RESERVOIR INFORMATION IN RELATION TO EARTHQUAKES IN ASHTABULA, OHIO | 377 |
| <i>H. Gerrish and A. Nieto</i> | |
| 27.1. Introduction | 377 |
| 27.2. Historical Overview | 377 |
| 27.3. Regional Geology and Tectonics | 378 |
| 27.4. Chardon Earthquakes | 379 |
| 27.5. Ashtabula Earthquakes | 380 |
| 27.6. Possibility That Injection Triggered Earthquakes | 381 |
| 27.7. An Alternative Source Mechanism for the Ashtabula Earthquakes | 385 |
| 27.8. Description of the Injection Zone | 389 |
| 27.9. Injection Activity in the Ashtabula Area | 390 |
| 27.10. Propagation of Injection-Induced Pressure Effects | 391 |
| 27.11. Geological Framework for Seismicity | 393 |
| 27.12. Sensitivity Analysis | 395 |
| 27.13. Discussion | 397 |
| 27.14. Conclusions | 398 |
| Acknowledgments | 398 |
| References | 398 |
| | |
| Chapter 28. INJECTION OF BRINE FROM CAVERN LEACHING INTO DEEP SALINE AQUIFERS: LONG-TERM EXPERIENCES IN MODELING AND RESERVOIR SURVEY | 403 |
| <i>J. Zemke, M. Stöwer, and M. Borgmeier</i> | |
| 28.1. Introduction | 403 |
| 28.2. Historical Overview | 403 |
| 28.3. Geological Requirements for Brine Disposal in Porous Aquifers | 404 |
| 28.4. Preliminary Investigations | 405 |
| 28.5. Technical Solutions | 406 |
| 28.6. Monitoring and Simulation Program for Brine Disposal | 407 |
| 28.7. Results and Experiences Gathered | 412 |
| | |
| Chapter 29. USE OF DEEP GEOLOGIC HORIZONS FOR LIQUID WASTE DISPOSAL AT POWER COMPLEXES IN CENTRAL RUSSIA | 413 |
| <i>B.P. Gorbatenko, A.D. Turkovskiy, A.I. Rybalchenko, M.K. Pimenov, E.P. Kajmin, and E.V. Zacharova</i> | |
| 29.1. Introduction | 413 |
| 29.2. Geological Conditions for Waste Injection in the Central Part of Russia | 413 |
| 29.3. Geology of the Kalinin Nuclear Power Plant | 414 |
| 29.4. Characteristics of Waste and Site Injection | 415 |
| 29.5. Waste Treatment for Deep-Well Injection | 416 |
| 29.6. Estimation of Deep-Well Injection Consequences | 416 |
| 29.7. Equipment for Using a Natural Underground Solution in Moscow | 417 |
| 29.8. Conclusion | 417 |
| | |
| Chapter 30. CASE STUDY: EVALUATION OF OIL FIELD AND WATER-WELL DISPOSAL-WELL DESIGNS FOR OIL SANDS FACILITY IN NORTHERN ALBERTA, CANADA | 419 |
| <i>Y. Champollion, M.R. Gleixner, J. Wozniewicz, W.D. MacFarlane, and L. Skulski</i> | |
| 30.1. Introduction | 419 |
| 30.2. General Setting | 419 |
| 30.3. Well Construction and Completion | 423 |

| | |
|--|-----|
| 30.4. Test and Analysis Procedures | 424 |
| 30.5. Test Results | 427 |
| 30.6. Conclusions | 428 |
| References | 429 |
| | |
| Chapter 31. FLUID INJECTION NEAR THE WASTE ISOLATION PILOT PLANT | 431 |
| <i>S. Ghose</i> | |
| 31.1. Introduction | 431 |
| 31.2. Mechanics and Practice of Fluid Injection in the Area | 432 |
| 31.3. Geology and Reservoir Characteristics | 436 |
| 31.4. Mechanical Response and Environmental Effects of Fluid Injection | 436 |
| References | 438 |
| | |
| Chapter 32. INJECTION OF ORGANIC LIQUID WASTE IN A BASALTIC CONFINED COASTAL AQUIFER, REUNION ISLAND | 441 |
| <i>J.-S. Martial, J.-L. Join, and J. Coudray</i> | |
| 32.1. Introduction | 441 |
| 32.2. The Case of the Savanna Distillery | 442 |
| 32.3. The Hydrogeological Setting of Bois Rouge—A Rare Asset | 442 |
| 32.4. Experiments and Results | 442 |
| 32.5. Discussion | 447 |
| 32.6. Conclusion | 448 |
| Acknowledgments | 449 |
| References | 449 |
| | |
| Chapter 33. DEMONSTRATION OF PRESENCE AND SIZE OF A CO ₂ -RICH FLUID PHASE AFTER HCL INJECTION IN CARBONATE ROCK | 451 |
| <i>J.E. Clark, D.K. Bonura, C. Miller, and F.T. Fischer</i> | |
| 33.1. Introduction | 451 |
| 33.2. Wireline Logging Data | 451 |
| 33.3. Interference Testing and Pressure Calculations | 456 |
| 33.4. Summary and Recommendations | 458 |
| References | 458 |
| | |
| Chapter 34. STABILITY ANALYSIS OF A SOLUTION CAVITY RESULTING FROM UNDERGROUND INJECTION | 459 |
| <i>R.W. Nopper, Jr., C. Miller, and J.E. Clark, Jr.</i> | |
| 34.1. Introduction | 459 |
| 34.2. Methodology Overview | 459 |
| 34.3. Stress Analysis | 460 |
| 34.4. Failure Analysis | 467 |
| 34.5. Model Results and Conclusions | 469 |
| Acknowledgments | 470 |
| References | 470 |
| | |
| V. LIQUID RADIOACTIVE WASTE INJECTION | |
| | |
| Chapter 35. LIQUID RADIOACTIVE WASTE DISPOSAL INTO DEEP GEOLOGIC FORMATIONS BY THE RESEARCH INSTITUTE OF ATOMIC REACTORS (RUSSIA) | 473 |
| <i>V.V. Mironov, A.M. Ulyshkin, A.S. Ladzin, and V.I. Kuprienko</i> | |
| 35.1. Introduction | 473 |
| 35.2. Geologic-Hydrogeological Substantiation of the Method | 474 |
| 35.3. Physicochemical Investigations of Disposal Processes | 475 |

| | |
|--|-----|
| 35.4. LRW Disposal and Control Processes | 476 |
| 35.5. Conclusion | 478 |
| Chapter 36. SAFETY ASSESSMENT OF DEEP LIQUID-ORGANIC RADIOACTIVE WASTE DISPOSAL | |
| <i>B.G. Balakhonov, A.A. Zubkov, V.A. Matyukha, M.D. Noskov, A.D. Istomin, A.N. Zhiganov, and G.F. Egorov</i> | |
| 36.1. Introduction | 481 |
| 36.2. Mathematical Model | 482 |
| 36.3. Results and Discussion | 483 |
| 36.4. Conclusions | 485 |
| References | 485 |
| Chapter 37. RESULTS OF LONG-TERM DEEP LIQUID RADIOACTIVE WASTE INJECTION SITE OPERATION AT THE SIBERIAN CHEMICAL COMBINE | |
| <i>A.A. Zubkov, A.S. Ryabov, V.A. Sukhorukov, V.V. Danilov, and A.I. Rybalchenko</i> | |
| 37.1. Introduction | 487 |
| 37.2. Characteristics of the Injection Sites | 487 |
| 37.3. Results and Discussion | 488 |
| 37.4. Conclusion | 490 |
| Chapter 38. RADIONUCLIDE DISTRIBUTION IN A SANDSTONE INJECTION ZONE IN THE COURSE OF ACIDIC LIQUID RADIOACTIVE WASTE DISPOSAL | |
| <i>A.A. Zubkov, B.G. Balakhonov, V.A. Sukhorukov, M.D. Noskov, A.D. Istomin, A.G. Kessler, A.N. Zhiganov, E.V. Zakharova, E.N. Darskaya, and G.F. Egorov</i> | |
| 38.1. Introduction | 491 |
| 38.2. Phenomenological Model | 491 |
| 38.3. Mathematical Model | 492 |
| 38.4. Results and Discussion of the Simulation | 497 |
| 38.5. Conclusion | 499 |
| References | 499 |
| Chapter 39. DEEP-WELL INJECTION MODELING OF RADIOACTIVE AND NONRADIOACTIVE WASTES FROM RUSSIAN NUCLEAR INDUSTRY ACTIVITIES, WITH EXAMPLES FROM THE INJECTION DISPOSAL SITES OF SSC RF-NIIAR AND CHEPETSK MECHANICAL PLANTS | |
| <i>E.A. Baydariko, A.I. Rybalchenko, A.I. Zinin, G.A. Zinina, A.M. Ulyushkin, and A.L. Zagvozkin</i> | |
| 39.1. Introduction | 501 |
| 39.2. Model for Deep Injection Disposal of Industrial Waste at Glazov | 502 |
| 39.3. Model of Deep Injection Disposal at Dimitrovgrad | 507 |
| 39.4. Conclusion | 508 |
| References | 509 |
| Chapter 40. EFFECT OF ANTHROPOGENIC TRANSFORMATIONS OF DEEP LIQUID RADIOACTIVE WASTE REPOSITORY-CONTAINING ROCKS ON RADIONUCLIDE MIGRATION | |
| <i>E.V. Zakharova, E.P. Kaimin, A.A. Zubkov, O.V. Makarova, and V.V. Danilov</i> | |
| 40.1. Introduction | 511 |
| 40.2. Experiments | 511 |
| 40.3. Results and Discussion | 512 |
| 40.4. Conclusions | 520 |
| References | 520 |

| | |
|--|-----|
| Chapter 41. MOLECULAR BACTERIAL DIVERSITY IN WATER AT THE DEEP-WELL MONITORING SITE AT TOMSK-7 | 521 |
| <i>M. Nedelkova, G. Radeva, and S. Selenska-Pobell</i> | |
| 41.1. Introduction | 521 |
| 41.2. Materials and Methods | 521 |
| 41.3. Results and Discussion | 523 |
| 41.4. Conclusions | 530 |
| Acknowledgment | 531 |
| References | 531 |

VI. INJECTION OF SOLIDS

| | |
|--|-----|
| Chapter 42. INTERNATIONAL DATABASE FOR SLURRY INJECTION OF DRILLING WASTES | 539 |
| <i>J.A. Veil and M.B. Dusseault</i> | |
| 42.1. Introduction | 539 |
| 42.2. Slurry Injection Technology | 539 |
| 42.3. Development of the Database | 540 |
| 42.4. Number of Injection Jobs | 541 |
| 42.5. Location of Slurry Injection Jobs | 541 |
| 42.6. Who is Doing the Injection? | 542 |
| 42.7. Geological Information | 542 |
| 42.8. Injection Depth | 543 |
| 42.9. Duration of Injection | 543 |
| 42.10. Injection Rate | 543 |
| 42.11. Injection Pressure | 544 |
| 42.12. Type and Volume of Material Injected | 544 |
| 42.13. Slurry Properties | 544 |
| 42.14. Pre-Injection Processing or Treatment | 545 |
| 42.15. Problems Experienced | 545 |
| 42.16. Economics | 546 |
| Acknowledgments | 547 |
| References | 547 |

| | |
|--|-----|
| Chapter 43. REGULATORY REQUIREMENTS AND PRACTICES GOVERNING SLURRY INJECTION OF DRILLING WASTES | 549 |
| <i>M.G. Puder, J.A. Veil, and W. Bryson</i> | |
| 43.1. Introduction | 549 |
| 43.2. Description of the Regulatory Compendium | 550 |
| 43.3. Findings Presented in the Regulatory Compendium | 550 |
| 43.4. Conclusions | 555 |
| Acknowledgments | 556 |
| References | 556 |

| | |
|---|-----|
| Chapter 44. ALASKAN UNDERGROUND INJECTION CONTROL OF SOLID WASTE DISPOSAL . | 557 |
| <i>T. Cutler</i> | |
| 44.1. Introduction | 557 |
| 44.2. Regulatory Framework | 558 |
| 44.3. Class I and Class V Wells | 558 |
| 44.4. Underground Injection Reduces Surface Environmental Impacts | 560 |
| 44.5. Aquifer Trends | 561 |
| 44.6. Geological Limits to Injection | 563 |
| 44.7. Construction, Operation, and Management | 564 |
| 44.8. Conclusion | 566 |
| Acknowledgments | 567 |
| References | 567 |

| | |
|---|-----|
| Chapter 45. DISPOSAL OF MEAT, BONEMEAL, AND RESIDUAL ASH BY INJECTION INTO DEEP GEOLOGICAL FORMATIONS | 569 |
| <i>V. Brkic, I. Omrcen, S. Bukvic, H. Gotovac, B. Omrcen, and M. Zelic</i> | |
| 45.1. Introduction | 569 |
| 45.2. Historical Overview | 570 |
| 45.3. Geological and Physical Properties of the Benicanci Oil Field | 570 |
| 45.4. Disposal of Meat and Bonemeal (MBM) | 572 |
| 45.5. Disposal of Residual Ash | 574 |
| 45.6. Transport Modeling and Risk Evaluation | 576 |
| 45.7. Conclusion | 584 |
| References | 585 |
| Chapter 46. THERMAL TREATMENT, CARBON SEQUESTRATION, AND METHANE GENERATION THROUGH DEEP-WELL INJECTION OF BIOSOLIDS | 587 |
| <i>M.S. Bruno, J.T. Young, O. Moghaddam, H. Wong, and J.A. Apps</i> | |
| 46.1. Introduction | 587 |
| 46.2. Proposed Technology | 588 |
| 46.3. Hyperion Anaerobic Mesophilic and Thermophilic Digestion Pilot Test | 589 |
| 46.4. Experimental Verification of Biodegradation and Methane Generation under Simulated Deep Subsurface Conditions | 591 |
| 46.5. Results and Discussion | 593 |
| 46.6. Summary and Conclusions | 602 |
| Acknowledgments | 604 |
| VII. CO₂ INJECTION | |
| Chapter 47. THE POTENTIAL FOR CO ₂ SEQUESTRATION IN LARGE AQUIFER STRUCTURES IN NORTHEASTERN GERMANY | 607 |
| <i>M. Stöwer, W. Gilch, and J. Zemke</i> | |
| 47.1. Introduction | 607 |
| 47.2. Sequestration in Germany | 608 |
| 47.3. Geological Conditions in Northeastern Germany | 609 |
| 47.4. Evaluating the Structures | 612 |
| 47.5. Parameter of Structures and Reservoirs | 613 |
| 47.6. Case Study at Ketzin | 616 |
| 47.7. Conclusions | 620 |
| References | 621 |
| Chapter 48. DEEP INJECTION OF ACID GAS IN WESTERN CANADA | 623 |
| <i>S. Bachu, K. Haug, K. Michael, B.E. Buschkuehle, and J.J. Adams</i> | |
| 48.1. Introduction | 623 |
| 48.2. Surface Operations | 624 |
| 48.3. Injection Well and Subsurface Requirements | 627 |
| 48.4. Characteristics of Acid-Gas Injection | 629 |
| 48.5. Conclusions | 633 |
| References | 634 |
| Chapter 49. UNDERGROUND INJECTION OF CARBON DIOXIDE IN SALT BEDS | 637 |
| <i>S. Bachu and M.B. Dusseault</i> | |
| 49.1. Introduction | 637 |
| 49.2. Cavern Construction and Behavior | 638 |
| 49.3. CO ₂ Leakage and Monitoring | 645 |
| 49.4. Conclusions | 646 |
| References | 647 |

| | |
|--|-----|
| Chapter 50. COUPLED HYDROMECHANICAL EFFECTS OF CO ₂ INJECTION | 649 |
| <i>J. Rutqvist and C.-F. Tsang</i> | |
| 50.1. Introduction | 649 |
| 50.2. Fundamentals of Hydromechanical Interactions in Fractured Rock | 650 |
| 50.3. Natural and Industrial Analogs Related to Study of Caprock Integrity and Reservoir Leakage | 657 |
| 50.4. The TOUGH-FLAC THM Simulator | 658 |
| 50.5. Application of the TOUGH-FLAC Code to CO ₂ Injection | 660 |
| 50.6. Discussion and Conclusions | 675 |
| Acknowledgments | 676 |
| References | 677 |
| Chapter 51. SUBSURFACE PROPERTY RIGHTS: IMPLICATIONS FOR GEOLOGIC CO ₂ SEQUESTRATION | 681 |
| <i>E.J. Wilson</i> | |
| 51.1. Introduction | 681 |
| 51.2. History of U.S. Property Rights | 682 |
| 51.3. The Negative Rule of Capture and Secondary Recovery | 683 |
| 51.4. Injecting Industries | 685 |
| 51.5. Conclusions | 692 |
| Acknowledgments | 693 |
| Author Index | 695 |
| Subject Index | 697 |