

Contents

Preface by Mike Trefry	iii
------------------------	-----

1 Human Implications of Contaminated Groundwater

Challenges in urban hydrogeology: maintaining urban water quality <i>M. Schirmer, G. Strauch, K. Schirmer & F. Reinstorf</i>	1
Hydrochemical characteristics and evaluation of nitrate contamination in a coastal urban aquifer, Xiangzhou District, Zhuhai City, China <i>X. Zhao, F. Chen, J. Chen & C. Tang</i>	9
Sources of, and factors influencing groundwater contamination in the Tokyo metropolitan area <i>K. Kuroda, T. Fukushi, S. Takizawa, M. Murakami, H. Takada, N. Nakada, M. Aichi, T. Hayashi & T. Tokunaga</i>	16
Groundwater arsenic contamination – a multi-directional emerging threat to water scarce areas of Pakistan <i>Islam Ul Haque, D. Nabi, M. A. Baig & W. Hayat</i>	24
Impacts of urbanization and groundwater development on groundwater quality in Guanghua basin, China <i>J. Chen, X. Zhao, C. Y. Tang & Y. Lu</i>	31

2 Land-use Impacts on Groundwater Quality

Land management: the upper-boundary control on groundwater quality <i>B. Clothier, S. Green & M. Deurer</i>	39
Particle tracking of <i>Cryptosporidium</i> oocysts from surface to groundwater <i>C.-H. Park, J.-O. Delfs & O. Kolditz</i>	47
An experimental study on gas transport mechanisms in unsaturated porous media <i>C.-S. Fen, Y. Huang & J. Chen</i>	55
Impact of agricultural pesticides and fertilizers on groundwater quality in an agro-urban area <i>A. S. M. E. Seleem, H. Joshi & D. C. Singhal</i>	63
Experimental and numerical study on nitrate transport process through volcanic ash soil <i>K. Nakagawa, K. Momii & R. Berndtsson</i>	71
Nitrate contamination of groundwater in the alluvial fans of the Taihang Mts and Yanshan Mts <i>F. D. Li, C. Y. Tang, Y. H. Yang, Q. Y. Zhang, C. M. Liu & W. J. Zhang</i>	79
Modelling the dilution of solutes due to mass transfer across the capillary fringe <i>U. Maier, C. Beyer, B. Susset & P. Grathwohl</i>	86

3 Industrial and Urban Mega-Sites

Disjoined capture and treatment of multiple contaminant plumes in groundwater to improve the cost-efficiency of remediation <i>M. Finkel, H. Schad, P. Bayer & L. Lantschner</i>	94
Use of hydrogeological and geochemical methods to investigate the origin and fate of vinyl chloride in groundwater in an urban environment, Ferrara, Italy <i>M. Pasini, A. Gargini, R. Aravena & D. Hunkeler</i>	102

Mass fluxes and integrated modelling of urban micropollutants in the city of Halle, Germany <i>F. Reinstorf, S. Leschik, A. Musolff, K. Osenbrück, G. Strauch, M. Möder & M. Schirmer</i>	110
---	-----

<i>In situ</i> remediation of arsenic at a highly contaminated site in northern Germany <i>T. Krüger, H. M. Holländer, P.-W. Boochs, M. Billib, J. Stummeyer & B. Harazim</i>	118
---	-----

4 Emerging Chemicals of Concern

Fate of consumer-product chemicals in the subsurface environment: twenty-five years of research on Cape Cod, Massachusetts, USA <i>L. B. Barber</i>	126
---	-----

Subsurface fate and transport of sulfamethoxazole, 4-nonylphenol, and 17 β -estradiol <i>L. B. Barber, M. T. Meyer, D. R. Leblanc, D. W. Kolpin, P. M. Bradley, F. H. Chapelle & F. Rubio</i>	133
---	-----

Ethanol – an emerging Chemical of Concern? <i>J. Barker, J. Molson, M. Mocanu, E. Williams, B. Fletcher, J. De Freitas, D. Augustine & T. Yang</i>	140
--	-----

Determination of the source and age of the geothermal fluid and its effects on groundwater resources in Kestanol (Çanakkale-Turkey) <i>A. Baba & C. Ertekin</i>	148
---	-----

Aquifer susceptibility to perchlorate contamination in a highly-urbanized environment <i>L. R. Woolfenden</i>	156
---	-----

EDB and 1,2-DCA from leaded gasoline may dominate health risk at underground storage tank sites <i>R. W. Falta</i>	164
--	-----

Mechanisms of arsenic contamination of a surficial aquifer in Turkey <i>O. Gunduz & C. Simsek</i>	170
---	-----

Assessing emerging contaminants – case study of the city of Leipzig, Germany <i>A. Musolff, S. Leschik, F. Reinstorf, G. Strauch & M. Schirmer</i>	178
--	-----

Fate of persulfate in uncontaminated aquifer materials <i>K. S. Sra, N. R. Thomson & J. F. Barker</i>	186
---	-----

5 New Assessment and Characterisation Techniques

The site characterisation challenge: providing adequate data to make site management decisions at acceptable costs <i>M. D. Annable</i>	194
---	-----

Comparing a groundwater flow interpretation based on wellwater quality distributions with that based on flow modelling <i>B. V. Furlong, M. S. Riley, A. W. Herbert, J. A. Ingram & J. H. Tellam</i>	202
--	-----

Assessing contaminant attenuation under temporally variable groundwater flow conditions <i>C. Beyer, F. Khan, A. Rein, P. Dietrich, O. Kolditz & S. Bauer</i>	210
---	-----

Cores of aquitard sediment yield details about natural attenuation in gas condensate-contaminated groundwater <i>D. R. Van Stempvoort, Y. T. J. Kwong, K. Millar & J. Armstrong</i>	218
---	-----

Compound class characterisation of a TPH groundwater plume associated with degraded diesel <i>D. A. Lang, T. P. Bastow, G. B. Davis, A. Sparkes, R. J. Lukatelić & J. Ariyaratnam</i>	226
---	-----

6 Innovative Remediation and Clean-Up Technologies

- Evidence for the success of bioparging LNAPL diesel in the water table zone of a shallow sand aquifer *C. D. Johnston, B. S. Robertson & T. P. Bastow* 234
- Encapsulated delivery of reactive iron particles using oil-in-water emulsions *J. J. Crocker, N. D. Berge & C. A. Ramsburg* 242
- Zero-valent iron fracture reactive barriers for remediating chlorinated solvent contaminants in fractured aquifers *Z. Cai, N. R. Thomson, D. N. Lerner, R. D. Wilson, R. G. McLaren & S. Oswald* 250
- A field trial to access the performance of CO₂-supersaturated water injection for entrapped LNAPL recovery *L. Nelson, J. Barker, T. Li, N. Thomson, M. Ioannidis & J. Chatzis* 258
- Deep sparging of groundwater for the aerobic bioremediation of lightly chlorinated hydrocarbons *G. B. Davis, B. M. Patterson & C. D. Johnston* 266
- A new reactive barrier material for use in landfill liners and *in situ* barriers to immobilize chromium *R. C. Vaishya, M. M. Sethy & K. R. Reddy* 272
- Humic acid separation from water using clay membranes *S. Thongsathit, C. Flood & R. (W.) Kiattikomol* 280

7 Natural Attenuation of High-Risk Contaminants

- Use of high resolution soil core and aqueous-phase monitoring to investigate TCE biodegradation heterogeneity within a DNAPL source zone area *R. A. White, M. O. Rivett, G. P. Wealthall & M. R. Lelliott* 287
- Variability in carbon isotope fractionation during aerobic biodegradation of MTBE in groundwater *S. F. Thornton, S. H. Bottrell, N. Shah, K. H. Spence, M. J. Spence & H. H. Richmond* 295
- Adsorption of hydrophobic organic compounds on natural porous media with low organic fraction *C. Fan, W.-T. Chang & M.-C. Liao* 303
- Investigation of the persistence and degradability of chlorophenol and chlorophenoxy acids in groundwater *G. B. Davis, T. Bastow, S. J. Fisher, P. D. Franzmann, L. R. Zappia, J. A. Puhakka & M. G. Trefry* 311
- Assessing the hazard from viruses in wastewater recharge of urban sandstone aquifers *E. Joyce, K. Charles, S. H. Rahman, M. F. Aller, V. Durand, M. S. Riley, R. B. Greswell, J. C. Renshaw, R. Mackay, M. O. Rivett, A. Hart, S. Pedley & J. H. Tellam* 319
- Natural attenuation of NSO heterocycles in coal tar contaminated aquifers *P. Blum, M. Fraser, J. F. Barker, A. Sagner, A. Tiehm, R. Melzer & P. Grathwohl* 327

8 Heterogeneity Controls on Contaminant Fate and Clean-Up

- Tailing of the breakthrough curve in aquifer contaminant transport: the impact of permeability spatial variability *G. Dagan, A. Fiori, I. Jankovic & V. Cvetkovic* 335

Tailing of the breakthrough curve in aquifer contaminant transport: equivalent longitudinal macrodispersivity and occurrence of anomalous transport <i>A. Fiori, G. Dagan, V. Cvetkovic & I. Jankovic</i>	342
Influence of flow focusing on transverse mixing in heterogeneous porous media: laboratory experiments and model-based interpretation <i>M. Rolle, C. Eberhardt & P. Grathwohl</i>	348
Aerobic degradation of a toluene plume in homogeneous and heterogeneous porous media <i>M. Rolle, R. Bauer, C. Griebler, R. Meckenstock, S. Bauer, O. Kolditz & P. Grathwohl</i>	356

9 Non-Aqueous Phase Liquids (LNAPLs and DNAPLs)

Understanding and modelling of NAPL source zones mass flux for remediation design <i>T. H. Illangasekare</i>	364
Linking changes in coal tar NAPL physical properties and compositional chemistry <i>R. D. Wilson, H. Briers & S. A. Leharne</i>	372
Quantification of natural and technically enhanced NAPL source depletion: analytical models vs numerical models <i>F. M. D'Affonseca, S. Park, M. Finkel & P. Blum</i>	380
Interaction of multiple in-series DNAPL residual source zones: implications for dissolution, repartitioning and DNAPL mobilization at contaminated industrial sites <i>C. Serralde, M. O. Rivett & J. W. Molson</i>	388

10 Biogeochemical Interactions

Phosphate mobilization in coastal aquifers due to seawater intrusion: a model assessment <i>C. Spiteri, P. van Cappellen, P. Regnier, C. Meile & C. P. Slomp</i>	396
The impact of microbial inhibition on the design and evaluation of groundwater remediation systems <i>M. M. Mohamed & K. Hatfield</i>	404
Influence of a landfill leachate plume on aqueous mineral equilibrium in a shallow sandy aquifer and the implications for carbon fixation <i>L. B. Jorstad & J. Jankowski</i>	412
Production and fate of organo-Cr(III) complexes from microbial reduction of chromate: evidence and implications <i>G. J. Puzon, L. Xun, R. Tokala, Z. Zhang, S. Clark, B. Peyton & D. Yonge</i>	420

11 Policy and Controls on Groundwater Quality

Post-audit of the State of Hawaii's source water assessment program <i>S. R. Spengler & W. Freeman</i>	428
Radioactive contamination of groundwater at nuclear power plants: incorporating lessons learned at existing and future facilities <i>S. W. Taylor & G. A. Day</i>	436
Case studies showing the consequences of historic land-use planning processes on unconfined groundwater aquifers used for drinking water supply in Western Australia <i>C. Loos, F. Guest, C. Roberts, J. Kaub & B. Franke</i>	444

Managing groundwater contamination in Sydney's Botany Sand Beds aquifer – a regulatory perspective <i>E. Benker, M. W. Hart, G. N. Russell & S. E. Yu</i>	451
---	-----

12 Processes at Groundwater–Surface–Water Interfaces

From the aquifer to the sea – mapping and quantifying groundwater discharge and nitrate flux and transformations – a review of methods <i>M. S. Andersen & R. Jakobsen</i>	459
The influence of seasonal temperature variation and other factors on the occurrence of dissolved manganese during river bank filtration <i>K. T. B. Macquarrie & T. A. Al</i>	467
Natural attenuation of a TCE plume at the groundwater–surface–water interface: spatial and temporal variability within a 50 m reach <i>R. S. Roche, M. O. Rivett, J. H. Tellam, M. G. Cleverly & M. Walker</i>	475
Density driven seawater plumes in a shallow aquifer caused by a flooding event – field observations, consequences for geochemical reactions and potentials for remediation schemes <i>M. S. Andersen, R. Jakobsen, V. Nyvang, F. D. Christensen, P. Engesgaard & D. Postma</i>	483
Groundwater–surface–water interactions at the contaminated mega-site Bitterfeld, Germany <i>E. Kalbus, C. Schmidt, J. W. Molson, F. Reinstorf & M. Schirmer</i>	491

13 Modelling Linked to Decision Making

Model-based preliminary assessment of mega-site management options: a new approach to improve tiered decision-making <i>U. S. McKnight & M. Finkel</i>	499
Mass conserving decision model for coupled source and plume remediation <i>R. W. Falta</i>	507
Integrating uncertainty in reliability-based combined simulation-optimisation: the stack ordering procedure <i>P. Bayer & M. Finkel</i>	515
Risk-based decision support using multimedia environmental modelling: towards sustainable implementation of biological <i>in situ</i> methods <i>A. Rein & M. Bittens</i>	523
Strategic groundwater management facing time-variant boundary conditions <i>M. Pandeale, M. Finkel, I. Özdemir, P. Bayer & D. Ellul</i>	531
Land-use related cost estimates for contaminated site development: consequences of uncertainty for planning and investment decisions <i>S. Schädler, M. Morio & M. Finkel</i>	539
A web-based integrated solution for groundwater management: application of the Datacrossing DSS to coastal aquifer management <i>P. Cau, S. Manca, G. P. Deidda, G. Ranieri & J. E. Stitou</i>	547
Improving mega-site revitalisation strategies by trading off benefits from future land use and clean-up costs <i>M. Morio, M. Finkel, S. Schädler, G. Hartmuth & H. Rügner</i>	555

Keywords	563
----------	-----