

Contents

1	Introduction	1
2	Survey of the Subject	6
2.1	The Setting of This Subject	6
2.2	Morphology of Soil Structure with Regards to Water Movement	7
2.2.1	Concepts and Aspects	7
2.2.2	The Three-Dimensional Reality of Soil Structure and Its Image	13
2.2.3	A Related Topic: the Morphometry of the Microrelief of the Soil Surface	19
2.3	Flow of Water Through the Larger Voids in the Soil	22
2.3.1	Concepts for the Flow of Water Through Larger Voids in the Soil	22
2.3.2	Related Topics: Overland Flow, Interflow, Preferential Flow, Pipe Flow	35
2.4	The Approach Followed in This Study to Contribute to Problem Solutions	38
3	Basic Considerations	42
3.1	The Characterization of the Geometry of Inter-Aggregate Voids	42
3.1.1	The length of the Inter-Aggregate Voids L_{er}	42
3.1.2	The Volume of the Inter-Aggregate Voids PV_{er}	43
3.1.3	The Volume of the Intra-Aggregate Voids PV_{ra}	43
3.1.4	The Total Pore Volume TPV	43
3.1.5	The Continuity of the Inter-Aggregate Voids NC	44
3.1.6	The Median of the Void Width Distribution M_d	44
3.1.7	The Most Frequent Void Width (modal value)	44
3.1.8	The Surface of the Aggregates F_a	45
3.1.9	The Hydraulic Radius of the Inter-Aggregate Voids R_h (cm)	45
3.1.10	The Geometric Quartile Deviation of the Inter-Aggregate Void Widths Dev_q	46
3.1.11	The Skewness Coefficient of the SCVW Sk	46
3.1.12	The Variation Coefficient of the Void Widths $Diff$	46

3.1.13	The Filter Surface FF	47
3.1.14	The Inter-Aggregate Void Surface F_{er}	47
3.2	The Characterization of the Flow of Water Through Inter-Aggregate Voids and Around Impermeable Inclusions	47
3.2.1	Fluid Mechanics	47
3.2.2	Solute Transport Processes, Mixing and Flow Components	47
3.2.2.1	Breakthrough Curves, Mixing and Leaching Efficiencies	47
3.2.2.2	Degrees of Mixing	53
3.2.2.3	Inter-Aggregate Rates of Flow	55
3.3	Remarks on this Effort to Quantitatively Record the Shape and Hydromechanical Function of the Soil Structure	56
3.3.1	The Morphometry of Soil Structure	56
3.3.2	The Selection of Morphometric Parameters	57
3.3.3	The Chosen Column Dimensions	59
3.3.4	Spacing and Orientation of the Image Planes	62
3.3.5	The Scale of the Evaluated Images	64
3.3.6	The Procedure for the Evaluation of the Images	66
4	Experimental Studies	68
4.1	Experiments on the Movement of Water in Inter-Aggregate Voids	68
4.1.1	Construction of Soil Columns with an Artificial Structure	68
4.1.2	Execution of Experiments	68
4.1.3	Evaluation of the Experiments	70
4.1.4	Results	73
4.2	Experiments on the Flow Around Impermeable Inclusions	121
4.2.1	Preliminary Remarks	121
4.2.2	Description of the Experimental Procedure	121
4.2.3	Evaluation of the Experiments	124
4.2.3.1	Flow Data	124
4.2.3.2	Mixing Data	124
4.2.4	Results	125
4.3	Experiments on the Influence of Air Inclusions on Water Movement	130
4.3.1	Preliminary Remark	130
4.3.2	Set Up and Execution of the Experiments	130
4.3.3	Evaluation of the Experiments	131
4.3.4	Results of the Experiments	131
4.4	Void Morphometry and Infiltration Rates	134
4.4.1	Preliminary Remarks	134
4.4.2	Description of the Experiments	135
4.4.3	Evaluation of the Experiments	135
4.4.4	Results of the Experiments	136
5	Discussion of the Results and Concluding Analysis	141
5.1	Interpretation of the Experimental Results	141

5.1.1	Experiments on the Movement of Water in Inter-Aggregate Voids	141
5.1.1.1	The Morphometry of Inter-Aggregate Voids	141
5.1.1.2	The Relationship Between Flow Processes and Void Morphometry	142
5.1.2	Experiments on the Flow Around Inclusions	150
5.1.3	Experiments on the Influence of Air Inclusions on Water Movement	154
5.1.4	Void Morphometry and Infiltration Rate	155
5.1.5	The Applicability of the Modified Ergun Equation According to MacDonald et al. (1979) to Soil Hydrologic Studies	156
5.2	Some Possibilities and Restrictions of Application	157
6	Summary	161
	References	164
	List of Symbols, Abbreviations and Constants	175
	Author Index	178
	Subject Index	182
	Appendix	188