

Table of contents

Abstract	i
1 Introduction	1
2 Theoretical Fundamentals	3
2.1 The Transformation Induced Plasticity effect	3
2.1.1 Heat treatment and resulting microstructure	4
2.1.2 Influence of alloying elements	7
2.1.3 Austenite stability	11
2.1.4 Mechanical induced phase transformation	13
2.1.5 Damage and failure	15
2.2 A selection of models for the phase transformation from austenite to martensite	25
3 Experimental methodology	45
3.1 Microstructure characterization	45
3.1.1 Light optical metallography - LOM	45
3.1.2 Scanning electron microscopy - SEM	47
3.1.3 Quantification of microstructural banding	48
3.1.4 Electron BackScatter Diffraction - EBSD	49
3.1.5 Conventional X-Ray Diffraction - XRD	52
3.1.6 Magnetic measurement method	53
3.1.7 Investigation of the transformation kinetics	56
3.1.7.1 Global observation by means of high-energy XRD	56
3.1.7.2 Local observation by means of EBSD	58
3.1.8 Investigation of the ferrite strength	59
3.2 Tensile tests	63
3.2.1 Quasi-static tensile tests	63
3.2.2 Temperature tests	64
3.2.3 Dynamic tensile tests	64

3.3	Forming tests	66
3.3.1	The hydraulic bulge test	66
3.3.2	Nakajima stretch forming test	68
3.3.3	Hole expanding test	70
4	Numerical methodology	73
4.1	Description of the multiphase microstructure by means of RVEs	73
4.2	Flow-curve description of the single phases based on dislocation theory	77
4.3	A numerical investigation of the influence of microstructural banding	83
4.4	The influence of the TRIP effect on the local stress-strain distribution	85
4.5	The dependence of the TRIP effect on strain path and morphology	90
5	Experimental results	93
5.1	Industrial steel grades	93
5.1.1	Microstructures	93
5.1.2	Tensile tests	103
5.1.2.1	Mechanical properties under quasi-static conditions	103
5.1.2.2	The influence of temperature	107
5.1.2.3	The influence of strain rate	109
5.1.3	Assessment of formability	112
5.1.3.1	The forming limits	112
5.1.3.2	Flow behaviour under biaxial conditions	117
5.1.3.3	Hole expandability	120
5.1.4	Transformation kinetics	123
5.1.4.1	Global phase transformation under uniaxial tension	123
5.1.4.2	Local phase transformation under uniaxial tension	124
5.1.4.3	Local phase transformation under different stress triaxiality conditions	127
5.1.5	Influence of the strength of the ferritic matrix	130
5.2	Laboratory annealing processes	132
5.2.1	Microstructures	132
5.2.2	Tensile tests	135
5.2.2.1	Mechanical properties under uniaxial conditions	135
5.2.2.2	Mechanical properties under multiaxial conditions	139
5.2.3	Global transformation kinetics	142
6	Simulation results	143

6.1	Macroscopic flow-curves determined by microstructural simulations	143
6.2	The influence of microstructural banding	145
6.3	Influence of local phase transformation	147
6.4	Development of the phase transformation under different strain path conditions	152
7	Discussion	155
8	Conclusions	165
	Bibliography	169
A	Nomenclature	187
B	Appendix	195
B.1	Flow-curve parameters of the industrial steel grades	195
B.2	Model materials for investigation of influence factors on TRIP effect	196
	List of Figures	197
	List of Tables	207