

Contents

1	Introduction	1
2	The intestinal epithelium as a model to study the regulation of epithelial cell differentiation	2
2.1	The developing human intestine	2
2.1.1	Small intestine	2
2.1.2	Colon	4
2.2	The adult crypt-villus unit	6
3	Compositional changes in the epithelial basement membrane	6
3.1	Exclusive BM components	8
3.1.1	Type IV collagen	8
3.1.1.1	Ubiquitous type IV collagen chains	8
3.1.1.2	Minor type IV collagen chains	8
3.1.1.3	Type IV collagens in the small intestinal mucosa	9
3.1.1.4	Cellular origin of type IV collagen chains at the intestinal epithelial BM .	13
3.1.2	BM proteoglycans	14
3.1.2.1	BM heparan sulfate proteoglycans in the gut	15
3.1.3	Laminins	16
3.1.3.1	Members of the laminin family	18
3.1.3.2	Laminins in the small intestinal mucosa	18
3.1.3.3	Role of laminin on human intestinal epithelial cell differentiation	24
3.1.4	Other BM macromolecules	25
3.2	Non-exclusive BM macromolecules	27
3.2.1	Cellular fibronectins	27
3.2.2	Tenascins	29
3.2.3	Decorin	36
3.2.4	Other non-exclusive BM molecules	37
4	Cell surface receptors for ECM molecules expressed in the intestinal epithelium	39
4.1	Non-integrin receptors for intestinal BM components	39
4.2	Integrins	40
4.2.1	Implication of integrins in cell-matrix interactions	41
4.2.2	Integrins expressed by human intestinal epithelial cells	43
4.2.2.1	$\beta 1$ subunit	43
4.2.2.2	$\beta 4$ subunit	45
4.2.2.3	$\alpha 1$ subunit	48
4.2.2.4	$\alpha 2$ subunit	48
4.2.2.5	$\alpha 3$ subunit	49
4.2.2.6	$\alpha 4$ subunit	51
4.2.2.7	$\alpha 5$ subunit	53

4.2.2.8	$\alpha 6$ subunit	53
4.2.2.9	$\alpha 7$ subunit	54
4.2.2.10	$\alpha 9$ subunit	55
5	Conclusions and perspectives	56
	References	57
	Subject index	77