

# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Data . . . . .	2
1.2	Models . . . . .	2
1.2.1	Models for chronic diseases . . . . .	2
1.2.2	Models for infectious diseases . . . . .	4
1.3	Scope of thesis . . . . .	6
<b>2</b>	<b>Bayesian inference</b>	<b>9</b>
2.1	Markov chain Monte Carlo . . . . .	10
2.1.1	Metropolis-Hastings algorithm . . . . .	11
2.1.2	Single-component Metropolis-Hastings . . . . .	11
2.1.3	Gibbs sampler . . . . .	11
2.1.4	The reversible jump algorithm . . . . .	12
2.1.5	Effective sample size . . . . .	12
2.1.6	Deviance information criterion . . . . .	13
2.2	Sequential Monte Carlo . . . . .	14
2.2.1	Particle filter . . . . .	14
2.2.2	Forward-backward algorithm . . . . .	17
<b>3</b>	<b>Bayesian changepoint models</b>	<b>23</b>
3.1	Model extensions . . . . .	25
3.2	Application to coal-mining disaster data . . . . .	26
3.3	Posterior distribution . . . . .	28
3.4	Markov state space form of the changepoint model . . . . .	29
3.5	Markov structure of the changepoints . . . . .	31
3.6	Estimation of the changepoint model . . . . .	32

3.6.1	Reversible jump MCMC . . . . .	32
3.6.2	Particle filter . . . . .	35
3.6.3	Forward-backward algorithm . . . . .	36
<b>4</b>	<b>A model for multivariate infectious disease counts</b>	<b>41</b>
4.1	Introduction . . . . .	41
4.2	The univariate case . . . . .	42
4.2.1	The endemic component . . . . .	43
4.2.2	The epidemic component . . . . .	45
4.3	Estimation by MCMC . . . . .	45
4.3.1	Alternative representation using auxiliary variables . . . . .	45
4.3.2	Update of the parameters . . . . .	45
4.4	Application to univariate disease time series . . . . .	46
4.5	The multivariate case . . . . .	50
4.5.1	The endemic component . . . . .	52
4.5.2	The epidemic component . . . . .	53
4.6	Estimation by MCMC . . . . .	54
4.6.1	Alternative representation using auxiliary variables . . . . .	54
4.7	Update of the parameters . . . . .	54
4.8	Measles in the districts of Bavaria . . . . .	56
4.9	Discussion . . . . .	58
<b>5</b>	<b>A two-component model for counts of infectious diseases</b>	<b>59</b>
5.1	Introduction . . . . .	59
5.2	Model . . . . .	61
5.2.1	The endemic component . . . . .	61
5.2.2	The epidemic component . . . . .	61
5.2.3	Statistical analysis via MCMC . . . . .	63
5.2.4	One-step ahead prediction . . . . .	63
5.3	Analysis of simulated data . . . . .	64
5.4	Analysis of real data . . . . .	65
5.4.1	Hepatitis A . . . . .	65
5.4.2	Hepatitis B . . . . .	71
5.4.3	Model comparison . . . . .	71
5.5	Discussion . . . . .	73

---

<b>6 Sequential Monte Carlo methods</b>	<b>77</b>
6.1 Retrospective analysis using the forward-backward algorithm . . . . .	77
6.1.1 Update of the changepoints using the forward-backward algorithm .	78
6.1.2 Performance of the forward-backward algorithm . . . . .	78
6.2 Particle filter for prospective surveillance . . . . .	79
6.2.1 Sequential update using the particle filter . . . . .	81
6.2.2 Application to the hepatitis A data . . . . .	81
6.3 Discussion . . . . .	82
<b>7 A model for multivariate time series of infectious disease counts</b>	<b>83</b>
7.1 Introduction . . . . .	83
7.2 Model . . . . .	86
7.2.1 The endemic component . . . . .	87
7.2.2 The epidemic component . . . . .	89
7.3 Statistical analysis by MCMC . . . . .	90
7.4 The influence of influenza on meningococcal diseases . . . . .	91
7.5 Influenza in the federal states of Germany . . . . .	100
7.6 Model comparison . . . . .	105
7.7 Discussion . . . . .	105
<b>8 Conclusion</b>	<b>109</b>
<b>A Twins</b>	<b>111</b>
A.1 General information . . . . .	113
A.2 Starting <i>twins</i> . . . . .	113
A.3 Input files . . . . .	113
A.3.1 The data . . . . .	113
A.3.2 The parameters . . . . .	113
A.4 Output files . . . . .	114
A.5 Figures . . . . .	114