

Table of contents

Preface	XIII
<i>Image Processing and Data Fusion</i>	
Road identification and refinement on multispectral imagery based on angular texture signature <i>Q. Zhang & I. Couloigner</i>	3
Analysis of geostatistical parameters for texture classification of satellite images <i>M. Durrieu, L.A. Ruiz & A. Balaguer</i>	11
Study of methods based on wavelets for texture classification of high resolution images <i>A. Fdez-Sarría, L.A. Ruiz & J.A. Recio</i>	19
Fuzzy segmentation for wetland mapping: Incorporation of semivariogram texture <i>W.-Y. Chiu & I. Couloigner</i>	29
Edge preserving phase unwrapping using graph cuts <i>G. Valadão & J.M. Bioucas-Dias</i>	39
Filtering of InSAR interferograms <i>M. Ouarzeddine, A. Belhadj-Aïssa, M. Rebihi & F. Tabarout</i>	47
Implementation of new methods of speckle noise reduction in SAR images <i>L. Bouchemakh, Y. Smara, M. Benali & Z. Ben Cheikh</i>	53
SAR change detection techniques and applications <i>R.J. Dekker</i>	63
MODIS and Landsat TM image fusion using the SIFuLAP method for mapping the Brazilian savannas (Cerrado) <i>F.W. Acerbi-Junior, R. Zurita Milla, M. Wachowicz, J.G.P.W. Clevers & M.E. Schaepman</i>	71
Comparison of fusion methods for Quickbird images <i>V. Meenakshisundaram & I. Couloigner</i>	81
MTF-tailored multi-resolution analysis for fusion multi-spectral and panchromatic images <i>B. Aiazzi, L. Alparone, S. Baronti, A. Garzelli, F. Nencini & M. Selva</i>	87
The curvelet transform for fusion of very-high resolution multi-spectral and panchromatic images <i>L. Alparone, S. Baronti, A. Garzelli & F. Nencini</i>	95
Objective determination of the degradation level of the multispectral and panchromatic images for fusion by means of the <i>à trous</i> algorithm <i>M. Lillo Saavedra & C. Gonzalo Martin</i>	103

Physical Processes and Atmosphere

- Retrieving aerosol optical thickness from a MODIS dataset for the Lisbon Metropolitan Area using a contrast reduction method 113
N.C. dos Santos Grosso
- Validation of satellite longwave emission and net radiation with in-situ measurements during BUBBLE 123
G. Rigo, E. Parlow & D. Oesch
- Influence of atmospheric correction on determination of lake water quality parameters based on CHRIS/PROBA images 129
K. Osińska-Skotak
- Satellite estimation of surface/atmosphere parameters: A sensitivity study 137
A. Prieto-Blanco, P.R.J. North, N. Fox & M.J. Barnsley
- Mapping the aerodynamic roughness length using SAR images 145
S. Bidaut, T. Ranchin & L. Wald
- Aggregation of the thermo-optical properties for a rugged heterogeneous surface in the infrared domain: A multiscale model 151
S. Pallotta, X. Briottet, C. Miesch & Y. Kerr
- Polarimetric response for target characterization 161
B. Souissi, M. Ouarzeddine & A. Belhadj-Aïssa
- The cooling effect of cities in a hot and dry environment 169
C.M. Frey, G. Rigo & E. Parlow
- Perturbation in global precipitation from multi-temporal remote sensing 175
L.N. Vasiliev

Geological Hazards

- SAR interferometry: Detecting small landslides in the area of Northern Bohemia 185
I. Čapková & J. Kianička
- Detection of hazardous gas leakage from pipelines using anomalous spectral reflectance features of vegetation 191
F. van der Meer, M. van der Meijde, J. Kooistra, H. van der Werff & M. Noomen
- Remote sensing and geophysical survey in site investigations for special waste disposal: Case study Trgovska Gora (Croatia) 199
M. Oluić, S. Romandić & A. Schaller
- Analyses of earthquake induced damage in urban area by means of remotely sensed data 207
S. Kaya, E. Saroglu & N. Musaoglu
- Quantitative assessment and calibration of ASTER and SRTM DEMs for morphometric and geo-hazard analyses: Test case of Mauna Kea volcanic cones 215
M. Kervyn, R. Goossens & G.G.J. Ernst
- Urban subsidence seen by DInSAR: Temporal deformation series derived from a least-squared technique 225
E. Simonetto, D. Raucoules, C. Carnec, P. Thierry, C. Lembezat & C. King

Environmental Applications

- A proposal for a landscape integrated classification 233
A. Patrono & A. Saldaña
- Modelling of settlements-dynamics by object-oriented image and change detection analysis on Tenerife 241
S. Naumann & A. Siegmund

Modelling patterns of mosquito density based on remote sensing images <i>P. Lopes, P. Lourenço, C. Sousa, T. Novo, J. Rodrigues, A.P.G. Almeida & J. Seixas</i>	251
Possibilities of lake water quality monitoring based on CHRIS/PROBA superspectral data <i>K. Osińska-Skotak, M. Kruk & M. Mróz</i>	259
Minimum dataset for risk management of water pollution caused by olive oil factories in Crete <i>C.G. Karydas, I. Manakos, I. Sarakiotis & T. Sekuloska</i>	267
Monitoring and modeling of the snow cover dynamic in Southern Germany - Capabilities of optical and microwave remote sensing <i>F. Appel, H. Bach, A. Loew, R. Ludwig & W. Mauser</i>	277
Spaceborne observation and modeling of erosion and non-point source pollution in agricultural catchments draining into lakes <i>A. Lavoie, J. Deslandes, I. Beaudin, A. Michaud, F. Bonn & R. Fournier</i>	287
Combining agricultural economic and hydrological models with the aid of remote sensing data <i>C. Montzka, H. Bogena, M. Canty, R. Kunkel & F. Wendland</i>	299
Microwave radiometric remote sensing for emergency mapping of areas with water seepage through levees and of zones with dangerously high groundwater level <i>A. Shutko, Yu. Gulyaev, I. Chusov, I. Sidorov, E. Novichikhin, S. Golovachev, V. Krapivin, A. Haldin, L. Nazarov, Yu. Tishchenko, A. Chukhlantsev, S. Marechek, R. Haarbrink, Ts. Dachev, R. Kancheva, D. Petkov, J. Semkova, T. Yanev, N. Kolionsky, T. Coleman, F. Archer III, P. Pampaloni, S. Paloscia, A. Krissilov, B. Kosteniuk, I. Baryshnikov & A. Carmona</i>	305
Remote sensing and GIS for water district management: The Caia network case study <i>P.A. Oliveira, A.M.M. Perdigão, J. Rocha & P. Morgado</i>	315
EO-HYDRO: An Earth Observation Service for Hydropower Plant Management <i>L. Tampellini, L. Eikvil, E. Malnes, G. Ober, D. Power, T. Strozzi, F.D. Vescovi & P. Vincent</i>	321
Assessing large scale erosion susceptibility by combining remote sensing data and fuzzy logic modelling. Application to the Syros Island, Cycladic Archipelagos, Greece <i>C. Weber, A. Puissant, N. Evelpidou & J. Lobry</i>	329
Vegetation indices - tools for the development evaluation in reclaimed areas <i>L. Halounová, P. Junek & J. Petruchová</i>	339
Data acquisition field network for land state monitoring <i>G. Georgiev, D. Petkov & H. Nikolov</i>	347
 <i>Agriculture, Forests and Vegetation</i>	
A remote sensing survey of vegetation communities adjacent to Myall Lakes, NSW, Australia <i>J. Yagüe & P. García</i>	355
Burned area mapping in Africa with SPOT-VEGETATION imagery: Accuracy assessment with Landsat ETM+ data, influence of spatial pattern and vegetation type <i>J.M.N. Silva & J.M.C. Pereira</i>	367
The use of multi-temporal MODIS data for burnt area detection in the Italian peninsula through a classification tree approach <i>M. Trombetti, G. Amatulli & R. Lasaponara</i>	377
Retrieval of crop biomass and soil moisture from ASAR/ENVISAT data <i>S. Paloscia, G. Macelloni, P. Pampaloni, S. Pettinato & E. Santi</i>	385
Synthetic Aperture Radar for tropical savanna inventory and vegetation height retrieval <i>I.D. Cameron, K.M. Viergever, E.D. Wallington, I.H. Woodhouse, D. Moss & N. Stuart</i>	391

Agricultural ground-level spectral modeling in support of remotely sensed data interpretation <i>R. Kancheva & D. Borisova</i>	401
Implementation and control of the Good Agricultural and Environmental Conditions within the CwRS programme in Hungary <i>I. László, B. Csonka, E. Bognár, G. Csornai, M. Lelkes, L. Martinovich, P. Winkler, L. Tikász, A. Kocsis & G. Mikus</i>	407
Assessment of forest degradation by means of remotely sensed data <i>N. Musaoglu, E. Saroglu, F. Bektas, C. Goksel & S. Kaya</i>	413
Hyperspectral-based characterization of different vegetation species in Sundiken Mountain, Turkey <i>M. Çetin, N. Musaoglu, N. Çelik & M.D. Kantarci</i>	419
 <i>Land Use and Land Cover</i>	
The evaluation of usability of VHR satellite images for land cover /land use identification in agricultural landscape <i>J. Chmiel, K. Lady-Druzicka, J. Pluto-Kossakowska, K. Osińska-Skotak, W. Wolniewicz, A. Fijalkowska & P. Kupidura</i>	427
High resolution mapping land cover classification of the Elmali water basin <i>F. Bektas Balcik, E. Saroglu, C. Goksel & N. Musaoglu</i>	437
Land use classification of ASTER image - Legionowo test site <i>S. Lewiński</i>	441
Validation of the European CORINE Land Cover 2000 database <i>G. Maucha & G. Büttner</i>	449
Accuracy assessment of the Portuguese CORINE Land Cover map <i>M. Caetano, F. Mata & S. Freire</i>	459
Comparing land cover products CLC2000 and MOD12Q1 for Portugal <i>M. Caetano & A. Araújo</i>	469
Land use classification in Spain using MERIS images <i>S. García Gigorro, F. González Alonso, S. Merino de Miguel, A. Roldán Zamarrón & J.M. Cuevas</i>	479
Land use/cover maps by RS and ancillary data integration in a GIS environment <i>J. Rocha, J. A. Tenedório, S. Encarnação & P.M. Sousa</i>	487
Great Lisbon Metropolitan Area land use/cover characterization through multi temporal and multi resolution VIS components analysis <i>J.A. Tenedório, J. Rocha, S. Encarnação & R. Estanqueiro</i>	495
Analysing and mapping of Bozcaada Island land cover by means of remote sensing and GIS integration <i>F. Bektas Balcik & C. Goksel</i>	503
Spectral mixture analysis of land covers <i>D. Borisova, R. Kancheva & H. Nikolov</i>	509
Land cover classification with Support Vector Machine applied to MODIS imagery <i>P. Gonçalves, H. Carrão, A. Pinheiro & M. Caetano</i>	517
Comparative evaluation of MIVIS and Hyperion hyperspectral data (0.4-2.4 µm) on the Pollino National Park (Italy) <i>R. M. Cavalli, L. Fusilli, S. Pascucci, S. Pignatti & M. Poscolieri</i>	527

<i>Urban and High Resolution Data</i>	
Sub-pixel mapping: A comparison of techniques <i>K.C. Mertens, L.P.C. Verbeke & R.R. De Wulf</i>	539
Sub-pixel mapping of impervious surfaces from Landsat ETM+ data using reference proportions derived from VHR data <i>T. Van de Voorde, W. De Genst & F. Canters</i>	547
Change detection in urban areas using Very High spatial Resolution satellite images. Case study in Brussels: Locating main changes in order to update the Urban Information System <i>E. Frauman & E. Wolff</i>	557
The usefulness of VHR images for public administrations in an urban hilly region <i>M. Binard, Y. Cornet & J.-P. Donnay</i>	567
Evaluation of high and Very High Resolution images for remote sensing control of area-based subsidies and Land Parcel Identification System in Hungary <i>G. Csornai, I. László, B. Csonka, G. Nádor, E. Bognár, Z. Suba, G. Zelei, L. Tikász, L. Martinovich, A. Kocsis & M. Lelkes</i>	575
Analysis of geometric accuracy of Landsat 5 TM and IRS 1D data by means of DGPS and map data <i>E. Saroglu, S. Kaya & C. Ormeci</i>	581
Use of QuickBird satellite data for natural, semi-natural and urban environments <i>L. Rossi & F. Volpe</i>	585
<i>World Heritage and Archaeology</i>	
Estimation of the permafrost area in the Altai Mountains (Russia) in the framework of the preservation of the Frozen Tombs of the Altai Mountains <i>R. Goossens, W. Gheyle, J. Bourgeois & A. De Wulf</i>	595
Hyperspectral monitoring of coral reefs. A case study: Fordate, Tanimbar, Indonesia <i>S. Sterckx, L. Bertels, P. Kempeneers, W. Debruyn, T. Vanderstraete & R. Goossens</i>	603
3D modeling and visualization of Cultural Heritage Sites from High-Resolution Satellite Imagery <i>A. Gruen, F. Remondino & L. Zhang</i>	611
Study of the relations of the ancient communities with landscape in the South and West sides of the Sevan Lake area (Armenia) <i>N. Parmegiani & M. Poscolieri</i>	621
QuickBird-based analyses for archaeological investigations <i>R. Lasaponara & N. Masini</i>	629
<i>3D Remote Sensing</i>	
Comparative analysis of space image orientation <i>K. Jacobsen</i>	635
Potential of KOMPSAT-1 for mapping purposes <i>G. Büyüksalih, H. Akcin, A. Marangoz & K. Jacobsen</i>	647
Quality checking of DEM derived from satellite data (SPOT and SRTM) <i>S. Kay, P. Spruyt, R. Zielinski, P. Winkler, S. Mihály & G. Ivan</i>	655
DEM and orthoimage generation from ASTER L1B images for remote areas <i>R. Tapia & R. Goossens</i>	665
High resolution 3D-mapping of urban air pollution using EO data <i>N. Sifakis, C. Iossifidis & D. Sarigiannis</i>	673

Oceans and Coastal Zones

Satellite observations of bio-optical indicators related to dinoflagellates blooms in selected Mediterranean coastal regions <i>V. Barale, M. Masó, M. Vila, A. Lugliè, N. Sechi & M.G. Giacobbe</i>	685
MOSES (Measuring system for the observation of sea surfaces): Lagrangian drift experiments in the East Frisian Wadden Sea <i>O. Puncken, T. Badewien & R. Reuter</i>	697
Analysis of the mean sea level and its trend in the Iberian Atlantic and the Mediterranean Sea from altimeter data and the PSMSL data base <i>M. Arias, P. Villares, N. Castro, J.J. Alonso & M. Catalán</i>	707
The retracking of ocean parameters in the Mediterranean Sea and the surrounding area of the Iberian Atlantic using RA-2 Envisat data <i>J. Gómez-Enrí, C.P. Gommenginger, M.A. Srokosz, P.G. Challenor, P. Villares & J. Alonso</i>	713
Pollution signature of water quality using remote sensing data <i>B. Lounis & A. Belhadj-Aïssa</i>	721
Use of airborne LIDAR for research in fisheries oceanography <i>V. Zabavnikov & A. Lisovsky</i>	729
Algae diagnostics by matrix method of laser fluorimetry <i>V.V. Fadeev, E.E. Ostroumov & R. Reuter</i>	737
Research of dissolved organic matter fluorescence band variability in the South Atlantic using artificial neural networks <i>S.A. Burikov, T.A. Dolenko, V.V. Fadeev & I.I. Vlasov</i>	743
Mapping coastal aquaculture and fisheries structures by satellite imaging radar. Case study of the Lingayen Gulf, the Philippines <i>C. Travaglia, G. Profeti, J. Aguilar-Manjarrez & N. Lopez</i>	749
Satellite radar imagery of the coastal zone: Slicks and oil spills <i>O. Lavrova, T. Bocharova & A. Kostianoy</i>	763
Investigation of structural properties of marine surface film manifestations on SAR images <i>D.V. Darkin, L.M. Mitnik & V.A. Dubina</i>	773
Radar backscattering at sea surface covered with oil films <i>M. Mityagina & A. Churumov</i>	783
Envisat ASAR polarization experiment in Peter the Great Bay, Japan Sea: Preliminary results <i>L.M. Mitnik, V.A. Dubina & O.G. Konstantinov</i>	791
Quantification of the total suspended matter concentration in the sea breaking zone from <i>in situ</i> measurements and remotely sensed data - two empirical approaches <i>A.C. Teodoro, A.R.S. Marçal & F. Veloso Gomes</i>	799
Analysis of the Portuguese west coast morphology and morphodynamics, based on aerial images and GIS tools <i>J. Pais Barbosa, F. Veloso Gomes & F. Taveira Pinto</i>	809
Intertidal beach morphodynamics from Argus video images <i>S. Quartel & E.A. Addink</i>	819
A Landsat TM and ETM+ survey of quaternary coastal landforms in the central coast of NSW, Australia <i>J. Yagüe & P. García</i>	829
Mapping shallow, benthic communities using hyperspectral, remotely sensed data: A test of habitat classification using multiple sources of bathymetry <i>P. Gagnon, W. Jones & R. Scheibling</i>	839

Assessment of land-cover changes related to shrimp farming in two districts of northern Vietnam using multitemporal Landsat data <i>T.T.H. Pham, M. Béland, F. Bonn, K. Goïta, J.-M. Dubois & V.C. Pham</i>	845
A multispectral remote sensing analysis of Danube delta and North-Western coastal zone of Black Sea <i>M. Zoran & L.F. Zoran</i>	855
Observing and mapping the coastline relief in the Romanian sector of the Black Sea using satellite images <i>V. Loghin & G. Murătoareanu</i>	863
Using of the aircraft laboratory “Arktika” for research in the Barents Sea coastal zone <i>V. Zabavnikov & A. Lisovsky</i>	869
 <i>Indices</i>	
Keyword index	875
Author index	879