

CONTENTS

1. Introduction	11
1.1 Palaeobotanical research in the Near East	11
1.2 Palaeo-vegetation maps	13
1.3 Contents of the present paper	14
1.4 Acknowledgements	15
2. Physical environment and vegetation	16
2.1 Topography	16
2.2 Climate	19
2.3 Vegetation	22
2.3.1 Eu-Mediterranean vegetations	23
2.3.2 Montane forests	26
2.3.3 Cold-deciduous forests	27
2.3.4 Mixed broad-leaved and needle-leaved woodland resistant to cold	28
2.3.5 Cold-deciduous broad-leaved montane woodland	28
2.3.6 Open tree and shrub vegetation	30
2.3.7 Juniper woodland and forest-steppe	30
2.3.8 Nubo-Sindian forest-steppe (pseudosavanna)	31
2.3.9 Dwarf-shrublands (steppe)	31
2.3.10 Very open xeromorphic dwarf-shrublands (desert-steppe)	32
2.3.11 Deserts	32
2.3.12 River-valley vegetation	32
2.3.13 Salt marshes	33
2.3.14 Subalpine and alpine vegetation	33
3. Modern pollen precipitation	34
3.1 Introduction	34
3.2 Western Iran.	35
3.3 Southwestern Turkey.	38
3.3.1 Pine forest.	38
3.3.2 Maquis	41
3.3.3 Cedar-juniper and fir forest	41
3.4 Northwestern Turkey	41
3.5 Syria	43
3.5.1 Forest region	43
3.5.2 Steppe region	45
3.6 Israel	47

4. The regional vegetation histories	50
4.1 The pollen diagrams	50
4.2 The palaeo-vegetation maps	53
4.3 Western Iran and southeastern Turkey	55
4.3.1 Lake Zeribar	55
4.3.2 Lake Mirabad	57
4.3.3 Ganj Dareh Tepe	57
4.3.4 Lake Urmia	57
4.3.5 Lake Van	59
4.3.6 Söğütlü	60
4.3.7 Zeribar-Urmia-Van/Söğütlü	64
4.3.8 Çayönü	67
4.3.9 The Late Quaternary vegetation of the Northwestern Zagros	67
4.3.9.1 18,000-16,000 B.P.	68
4.3.9.2 12,000 B.P.	70
4.3.9.3 7500 B.P.	70
4.4 Northern and eastern Syria	72
4.5 South-Central and southwestern Anatolia	73
4.5.1 Akgöl Adabağ	73
4.5.2 Beyşehir Gölü	75
4.5.3 Söğüt Gölü	79
4.5.4 The coastal area	81
4.5.5 The Late Quaternary vegetation of the Pisidian lake district	85
4.5.5.1 12,000 B.P.	85
4.5.5.2 8000 B.P.	87
4.6 Northwestern Anatolia	89
4.6.1 Yeniçağa	89
4.6.2 Abant Gölü	92
4.6.3 The Late Quaternary vegetation of Northwestern Anatolia	95
4.6.3.1 12,000 B.P.	95
4.6.3.2 10,000 B.P.	97
4.6.3.3 6000 B.P.	99
4.7 Central, North-Central and North-east Anatolia	100
4.8 Levant	101
4.8.1 Ghab	101
4.8.2 The Huleh Basin	104
4.8.3 Comparison between Ghab and Huleh	106
4.8.4 Birket-Ram	106
4.8.5 Lake Kinneret	106
4.8.6 The Dead Sea	107
4.8.7 Ramad	107
4.8.8 The Late Quaternary vegetation of the Southern Levant	107
4.8.8.1 18,000-16,000 B.P.	110
4.8.8.2 12,000 B.P.	112
4.8.8.3 5000 B.P.	114

4.9 Pollen spectra from archaeological sites	114
5. Late Pleistocene and Holocene vegetation zonation	118
5.1 Early-Holocene vegetation	118
5.2 Some generalized palaeo-vegetation maps	121
5.2.1 18,000-16,000 B.P.	121
5.2.2 12,000-11,000 B.P.	122
5.2.3 8000 B.P.	124
5.2.4 4000 B.P.	125
5.3 Refuge areas and migration routes	126
6. The Early Holocene in other regions	128
6.1 Egypt/northern Sudan	128
6.2 Sinai/Negev	130
6.3 Jordan	131
6.4 The Arabian Peninsula	132
6.5 Afghanistan	134
7. The interference of man with the vegetation	137
7.1 Introduction	137
7.2 The Beyşehir land occupation	138
7.3 Evidence of human activity in other Anatolian pollen cores	140
7.4 Israel	143
7.5 The 'Ain Ghazal evidence	143
7.6 Conclusion	144
8. Summary	146
9. References	149