

Table of contents / Abstracts: ITSC 2010

Preface

Time Schedule

Lectures

Cold Spraying 1

S. Hartmann, Bad Krozingen/D	
New industrial applications for cold spraying	1
P. C. King and M. Jahedi, Clayton South/AUS	
Transmission electron microscopy of cold sprayed titanium	1

Wear Protection 1

M. Lugbauer, Purgstall/A, E. Badisch, Wiener Neustadt/A, and A. Kröll Purgstall/A	
Wear behaviour and performance of a cost-effective iron-based, carbide-reinforced, sintered coating	1
A. Määttä, U. Kanerva and P. Vuoristo, Tampere/FIN	
Structure and tribological characteristics of HVOF coatings sprayed from powder blends of Cr ₃ C ₂ -25NiCr and NiCrBSi alloy	2
C.-J. Li, H.-T. Wang, G.-J. Yang, S.-N. Zhao and C.-G. Bao, Xi'an/CN	
Characterization of high-temperature abrasive wear of cold-sprayed FeAl intermetallic compound coating	2

Plasma Spraying 1

A. Allimant and D. Billières, Avignon/F	
New conventional plasma gun with high performance: ProPlasma HP	2
D. Hawley, C. Dambra and R. Molz, Westbury/USA	
TriplexPro-200 gun platform: impacting all operational aspects of thermal spraying	3
L. Pershin and J. Mostaghimi, Toronto/CDN	
Yttria deposition by a novel plasma torch	3
W. Tillmann, E. Vogli and B. Krebs, Dortmund/D	
Investigation of atmospheric plasma sprayed tungsten carbide cobalt coatings using statistical design of experiments	3
M. F. Morks and C. C. Berndt, Melbourne/AUS	
Plasma sprayed NiCr coatings using a gas shroud system	4

Gas Turbines 1

J. Wilden, V. E. Drescher, Berlin/D, P. Schaaf and S. Günschmann, Ilmenau/D	
Composite coatings with drag reduction and self-cleaning properties	4
K. Bobzin, T. Schläfer, T. Warda and M. Brühl, Aachen/D	
Thermally sprayed oxidation protection coatings for γ-TiAl substrates	4
I. Tano, M. Gupta, N. Curry, P. Nylén and J. Wigren, Trollhättan/S	
Relationships between coating microstructure and thermal conductivity in thermal barrier coatings – a modelling approach	5
P. Richer, M. Yandouzi, L. Beauvais and B. Jodoin, Ottawa/CDN	
Oxidation behaviour of MCrAlY bond coats manufactured by plasma, HVOF and cold gas dynamic spraying	5

Cold Spraying 2

S. Gulizia, Clayton/AUS, A. Trentin, S. Vezzù, S. Rech, Marghera/I, P.King, M. Jahedi, Clayton/AUS, and M. Guagliano, Milan/I
Microstructure and mechanical properties of cold spray titanium coatings 5

W. Wong, Montreal/CDN, E. Irissou, J.-G. Legoux, Boucherville/CDN, and S. Yue, Montreal/CDN
Influence of helium and nitrogen gases on the properties of cold gas dynamic sprayed pure titanium coatings 6

J.-O. Kliemann, H. Gutzmann, F. Gärtner, T. Klassen, Hamburg/D, I. Jursic, Braunschweig/D, and C. Borchers, Göttingen/D
Layer formation of cold-sprayed ceramic titanium dioxide layers on metal surfaces 6

HVOF 1

B. Rajasekaran, G. Mauer, R. Vaßen, Jülich/D, A. Röttger, Bochum/D, S. Weber, Berlin/D, and W. Theisen, Bochum/D
HVOF spraying of ultrahigh boron-high carbon tool steel coating for wear resistance applications 6

H. Tabbara, S. Gu and G. McCartney, Southampton/GB
Computational investigation of warm spray 7

K. Sato, J. Kitamura, Gifu/J, G. Raman, M. Watanabe, M. Komatsu and S. Kuroda, Ibaraki/J
Correlation of wear resistant functions of HVOF and warm sprayed WC-Co coatings with in-flight particle characteristics 7

Power Engineering and SOFC 1

A. Ansar, D. Soysal, Z. Ilhan and N. Wagner, Stuttgart/D
Plasma sprayed LSCF oxygen electrode for SOFC 7

S. Dru, E. Meillot, K. Wittmann-Teneze, Monts/F, M.-L. Saboungi and R. Benoit, Orleans/F
Plasma spraying of lanthanum silicate electrolytes for intermediate temperature solid oxide fuel cells (ITSOFCs) . 8

Process Diagnostics 1

A. Schwenk, A. Wank, Luckenbach/D, T. Wallendorf and S. Marke, Lichtenau/D
NIR (Near-Infra-Red) sensor – an alternative diagnostic tool for the online process control of thermal spray processes 8

M. Koller and A. Kilchenmann, Wohlen/CH
The next step in intelligent gun technology – EvoLink for plasma spraying 8

I. Smurov, D. Pervushin, Yu. Chivel, B. Laget, Saint-Etienne/F, V. Uliantsky and S. Zlobin, Novosibirsk/RUS
Measurements of particles parameters at detonation spraying 9

Quality and Qualification

R. Huber, A. Ohliger-Volmer and F. Zech, München/D
Education, training and certification in thermal spraying 9

P. Heinrich, Unterschleissheim/D, and C. Penszior, Unterhaching/D
GTS – an important regulator for thermal spray technology 9

R. Winkler, Duisburg/D, S. Hartmann, Bad Krozingen/D, and F. Deuerler, Wuppertal/D
The shear test for thermally sprayed coatings in quality management 10

Paper and Printing

G. C. Stratford, A. J. Battenbough, P. J. Allnatt, Pontardawe/GB, and H. Burkard, Düsseldorf/D
Colferoloy® – an iron-based alternative for wear resistance applications 10

K. Bobzin, T. Schläefer, T. Warda and M. Schaefer, Aachen/D
Thermally sprayed fine Fe-based materials for wear protection applications in the printing industry 10

K. Onizawa, J. Jansen, M. Schulze, F. Gärtner and T. Klassen, Hamburg/D
Cold spraying of Zn and Zn-alloy coatings for print 11

Biomedical Coatings

H. Gutzmann, J.-O. Kliemann, R. Albrecht, F. Gärtner, T. Klassen, Hamburg/D, F.-L. Toma, L.-M. Berger and B. Leupolt, Dresden/D
Evaluation of the photocatalytic activity of TiO₂-coatings prepared by different thermal spray techniques 11

M. Yamada, H. Isago, K. Shima, H. Nakano and M. Fukumoto, Toyohashi/J
Deposition of TiO₂ ceramic particles on cold spray process 11

Off-Shore

H. Meng, Skelmersdale/GB, A. Neville, Leeds/GB, P. Gourdji, Skelmersdale/GB, and X. Hu, Edinburgh/GB
The performance of different WC-based cermet coatings in oil and gas applications –
a comparison 12

A. Kanno, T. Takabatake, Y. Namba, K. Tani, S. Uematsu, S. Sugawara, M. Yoshioka and Y. Ishihara, Akashi/J
Cavitation erosion properties and fracture morphology of thermal spray coatings 12

T. Marchione, D. Dezert, Conroe/USA, and A. Choong, Singapore/SGP
The advancement and positioning of laser cladding in the surface engineering industry 12

Nanomaterial Coatings 1

G. Darut, S. Valette, G. Montavon, H. Ageorges, A. Denoirjean and P. Fauchais, Limoges/F, E. Klyatskina, F. Segova
and M. D. Salvador, Valencia/E
Comparison of Al₂O₃ and Al₂O₃-TiO₂ coatings manufactured by aqueous and alcoholic suspension plasma
spraying 13

Z. Tang, P. Hartell, G. Masindo, N. Bogdanovic, I. Yaroslavski, H. Kim, J. Restrepo, D. Ellsworth and A. Burgess,
North Vancouver/CDN
Duration and reliability of axial suspension plasma spray process 13

J. Kitamura, H. Mizuno, K. Sato, Gifu/J, Z. Tang and A. Burgess, North Vancouver/CDN
Crystal and micro structures of plasma sprayed yttrium oxide coatings by axial injection of fine powder slurries .. 13

Plasma Spraying 2

M. Shahien, M. Yamada, T. Yasui and M. Fukumoto, Toyohashi/J
Influence of feedstock powder for fabrication of aluminum nitride in reactive atmospheric plasma spray process . 14

K. von Niessen and M. Gindrat, Wohlen/CH
Vapor phase deposition using a plasma spray process 14

Economic and Environmental Aspects

W. Krömmmer and P. Heinrich, München/D
Selective impact of industrial gases on the thermal spray process 14

S. Meneghetti, C. Giolli, A. Giorgetti and A. Scrivani, Parma/I
The use of national and EC public funds for financing R&D activities: the case of a thermal spray shop 15

D. Billières, Avignon/F, D. Bémer, I. Subra, M. Lecler, R. Régnier, Y. Morele, Vandoeuvre-lès-Nancy/F, and J. Gutha, Avignon/F
Measurement of particle emissions generated by arc spray and flame spray processes 15

Cold Spraying 3

J. Karthikeyan, C. M. Kay, Barberton/USA, and H. Hoell, Ampfing/D
Portable high pressure cold spray process – equipment, coatings and applications 15

K.-R. Donner, F. Gaertner and T. Klassen, Hamburg/D
Potential of cold gas spraying in power electronic applications 16

S. Rech, A. Trentin, S. Vezzù, Marghera/I, J.-G. Legoux, E. Irissou, Boucherville/CDN, and M. Guagliano, Milan/I
Study of the influence of pre-heated Al6061 substrate temperature on Al coatings deposited by cold spray 16

Properties 1

S. Hao, C.-J. Li, G.-J. Yang and Y.-Z. Xing, Xi'an/CN Influence of substrate surface temperature on the microstructure and properties of plasma-sprayed Al_2O_3 coatings	16
S. Thiele, K. Sempf, K. Jaenicke-Roessler, L.-M. Berger and J. Spatzier, Dresden/D Thermophysical studies on thermally sprayed tungsten carbide-cobalt coatings	17
F.-L. Toma, S. Scheitz, L.-M. Berger, V. Sauchuk and M. Kusnezoff, Dresden/D Comparative study of the electrical properties and microstructures of thermally sprayed alumina- and spinel-coatings	17

Hard Chrome Replacement

T. Lampke, D. Meyer, H. Pokhmurska and B. Wielage, Chemnitz/D APS- Al_2O_3 coatings versus arc-sprayed and plasma-anodised Al layers	17
N. Serres, F. Hlawka, Strasbourg/F, S. Costil, C. Langlade, Belfort/F, and F. Machi, Illkirch-Graffenstaden/F Microstructures of metallic NiCrBSi coatings manufactured via hybrid plasma spray process	18
S. Kuroda, G. Raman, M. Watanabe, M. Komatsu, Ibaraki/J, K. Sato and J. Kitamura, Gifu/J Microstructure and enhanced mechanical properties of WC-Co coatings obtained by warm spraying	18

Industrial Engineering

J. Wilden, V. Drescher, M. Djahanbakhsh, Berlin/D, R. Durham and M. Schütze, Frankfurt a. M./D Wire arc sprayed iron-based anti-corrosion coatings for waste incineration plants	18
A. Niwa and K. Hamashima, Yokohama/J Effect of M-CrAlY coating for corrosion resistance in specific high temperature atmosphere	19
C. Zhang, M. Debliquy, Mons/B, and H. Liao, Belfort/F Microstructure and NO_2 sensing performance of APS ZnO coatings	19
J. Wilden and V. E. Drescher, Berlin/D Tungsten-based coatings to increase the lifetime of permanent-mold casting molds	19

Wear Protection 2

J. A. Sue, H. Sreshta, Conroe/USA, and B. H. Qiu, Shandong/CN Improved hardfacing for drill bits and drilling tools	20
R. Trache, L.-M. Berger, S. Saaro, Dresden/D, R. S. Lima and B. R. Marple, Boucherville/CDN The influence of particle temperature, particle velocity and coating surface temperature on the sliding wear performance of TiO_2 - Cr_2O_3 coatings	20
K. Sonoya, M. Nakamura and K. Ishida, Yamanashi/J Extension of erosion life of turbine housing for ship by thermal spray	20
C. Wu, K. Zhou, M. Liu, C. M. Deng and C. G. Deng, Guangzhou/CN Wear properties of Ni-based composite coatings sprayed by HVOF	20

Young Scientists

K. Bobzin, N. Bagcivan and M. Schäfer, Aachen/D Mathematical modelling and simulation of a kerosene driven HVOF-process	21
J.-O. Kliemann, H. Gutzmann, F. Gärtner, T. Klassen and H. Gabriel, Hamburg/D Cold spraying for titanium dioxide coatings with high photocatalytic bactericidal activity	21
S. Goutier, M. Vardelle, J. C. Labbe and P. Fauchais, Limoges/F Flattening and cooling of millimetre and micrometre sized alumina drops	21
X.-T. Luo, C.-J. Li and G.-J. Yang, Xi'an/CN Effect of annealing on microstructure of cold sprayed c-BNp/NiCrAl composite coating	22

J. Wilden, V. E. Drescher and O. Lehmann, Berlin/D	
Coating of aluminium components with iron-based nanocrystalline solidifying materials to improve wear resistance	22
O. Khatim, M. P. Planche, L. Dembinsky, C. Coddet, Y. Bailly, F. Guermeur and L. Girardot, Belfort/F	
PIV measurements of metallic powders produced by liquid metal atomization using De Laval nozzle	22
A. Hospach, G. Mauer, R. Vaßen and D. Stöver, Jülich/D	
Columnar structured thermal barrier coatings (TBCs) by thin film low pressure plasma spraying (LPPS-TF™)	23
S. Lange, M. Sieber, G. Forster, J. L. Marqués and J. Schein, München/D	
Velocity diagnostics for gas velocity distributions in cold gas and plasma spraying using non-resonant laser scattering	23
T. Hussain, D. G. McCartney, P. H. Shipway and T. Marrocco, Nottingham/GB	
Effect of heat treatment on porosity and corrosion performance of cold sprayed titanium deposits	23
W. Tillmann, E. Vogli, B. Hussong, S. Kuhnt and N. Rudak, Dortmund/D	
Relations between in flight particle characteristics and coating properties by HVOF-spraying	24
D. Poirier, J.-G. Legoux, Boucherville/CDN, R. A. L. Drew and R. Gauvin, Montreal/CDN	
Consolidation of Al ₂ O ₃ /Al nanocomposite powder by cold spray	24
R. Vert, E. Meillot, Monts/F, A. Vardelle, G. Mariaux, C. Dublanche-Tixier, Limoges/F, and D. Chicot, Lille/F	
Adhesion of YSZ nano-structured coating on Haynes® 230 substrate	24
N. Tsolas, S. Chandra, H. Salimjazi, V. I. Pershin and J. Mostaghimi, Toronto/CDN	
Thermal spray forming of high-efficiency, metal-foam heat exchanger tubes	25

Gas Turbines 2

W. R. Chen, Ottawa/CDN, E. Irissou, J.-G. Legoux, Boucherville/CDN, X. Wu, Ottawa/CDN, and B. R. Marple, Boucherville/CDN	
A preliminary study of the oxidation behavior of TBC with cold spray CoNiCrAlY bond coat	25
A. Fasth, P. Nylén, N. Markocsan, Trollhättan/S, and R. Mušálek, Prague/CZ	
Characterization of thermo-mechanical properties for thermal sprayed NiCoCrAlY coatings	25
M. O. Jarligo, G. Mauer, D. Mack, R. Vassen and D. Stöver, Jülich/D	
Challenges for plasma spray deposition of decomposition-prone perovskite coatings	26

Power Engineering and SOFC 2

D. D. Jackson, M. Sereda, Fremont/USA, and R. Gansert, Simi Valley/USA	
Microstructure of thermal sprayed silicon coatings using various particle sizes and spray conditions	26
Y. Wang, J.-G. Legoux, Boucherville/CDN, R. Neagu, R. Hui, R. Maric, Vancouver/CDN, and B. R. Marple, Boucherville/CDN	
Deposition of NiO/YSZ composite and YSZ by suspension plasma spray on porous metal	26
K. J. Hollis and M. I. Pena, Los Alamos/USA	
Plasma sprayed and electrospray deposited zirconium metal diffusion barrier coatings	27
C.-X. Li, R.-T. Li, G.-J. Yang and C.-J. Li, Xi'an/CN	
Study on microstructure and electrochemical performance of Ni/YSZ anode deposited by APS	27
J. Puranen, J. Lagerbom, L. Hyvärinen, M. Kymälähti and P. Vuoristo, Tampere/FIN	
The structure and properties of plasma sprayed Fe doped manganese cobalt oxide spinel coatings for SOFC metallic interconnectors	27

HVOF 2

A. Wank, A. Schwenk, Luckenbach/D, M. Liu, K. S. Zhou, C. M. Deng and C. G. Deng, Guangzhou/CN	
Expansion of the applicable range of HVOF process conditions	28
C. Lyphout, P. Nylén and L. Östergren, Trollhättan/S	
Relationships between process parameters, microstructure and adhesion strength of HVOF sprayed IN718 coatings	28

R. Dhiman, F. Farhadi, L. Pershin, S. Chandra and J. Mostaghimi, Toronto/CDN	
Development of a low-temperature, oxy-fuel (LTOF) thermal spray gun	28
C. R. C. Lima, M. J. Rosales and F. Camargo, Piracicaba/BR	
Evaluation of boron carbide based thermal sprayed coatings for tribological applications	29

Cold Spraying 4

H. Lee, J. O. Choi and K. H. Ko, Suwon/KR	
Effects of nanosize particles on the intermetallic compound formations of cold sprayed coatings	29
T. Marrocco, D. Harvey, Cambridge/GB, and T. Hussain, Nottingham/GB	
Characterisation of corrosion resistant deposits by cold gas dynamic spray	29
I. Smurov, D. Pervushin, Saint-Etienne/F, V. Uliantisky, S. Zlobin and A. Sova, Novosibirsk/RUS	
Comparison of cold spray and detonation coatings properties	30
Y. Li, C.-J. Li, Q. Zhang, L.-K. Xing and G.-J. Yang, Xi'an/CN	
Effect of surface morphology of MCrAlY bond coats on the isothermal oxidation behavior	30

Process Diagnostics 2

V. Rat and J. F. Coudert, Limoges/F	
Correlations between the oscillation modes of arc voltage and pressure in cathode cavity of dc plasma torches ..	30
K. Shinoda, Y. Tan and S. Sampath, Stony Brook/USA	
Loading effect in plasma spraying: from in-flight particle state distributions to diagnostic reliability	31
G. Mauer, R. Vaßen, D. Stöver, Jülich/D, S. Kirner, J.-L. Marqués, S. Zimmermann, G. Forster, and J. Schein, München/D	
Improving powder injection in plasma spraying by optical diagnostics of the plasma and particle characterization	31

Modelling and Simulation 1

U. Tietz, C. C. Berndt, Melbourne/AUS, and K.-P. Schmitz, Rostock/D	
Microstructural modelling and performance simulation of engineered bio-composites	31
D. Fang, S. Deng, H. Liao and C. Coddet, Belfort/F	
The improvements of thermal spray toolkit, extended software for robotic off-line programming	32
M. Fukumoto, K. Tanaka, K. Yang, T. Usami, T. Yasui and M. Yamada, Toyohashi/J	
Effect of ambient pressure and substrate temperature on heat transfer at interface between molten droplet and substrate surface	32
K. Bobzin, N. Bagcivan, I. Petković, Aachen/D, J. Schein, K. Landes, G. Forster, K. Hartz-Behrend, S. Kirner, J.-L. Marqués, S. Zimmermann, Neubiberg/D, Fr.-W. Bach, K. Möhwald, J. Prehm and L. Xin, Garbsen/D	
Homogenization of coating properties in atmospheric plasma spraying – current results of a DFG (German Research Foundation)-funded research group	32

Nanomaterial Coatings 2

C. Melnyk, S. Schroeder, D. Grant, Cerritos/USA, R. Gansert, Simi Valley/USA, and M. Watson, Buffalo/USA	
Improved mechanical properties of coatings and bulk components as a function of grain size	33
W. Xie, S. Saber-Samandari, M. F. Morks, K. Alamara, J. Wang and C. Berndt, Melbourne/AUS	
Effect of stand-off distance on EMAA splats deposited onto glass and mild steel substrates	33

Cold Spraying 5

A. Sova, V. Kosarev, Novosibirsk/RUS, A. Papyrin, Albuquerque/USA, and I. Smurov, Saint-Etienne/F	
Effect of the ceramic component on cold sprayed metal ceramic coatings	33
W.-Y. Li, Xi'an/ CN, X. P. Guo, Belfort/F and Dalian/CN, H. L. Liao and C. Coddet, Belfort/F	
Investigation of impact behavior of cold-sprayed large annealed copper particles and characterizations of coatings	34

J.-G. Legoux, E. Irissou, Boucherville/CDN, S. Desaulniers, Brossard/CDN, J. Bobyn, Montreal/CDN, B. Harvey, Boucherville/CDN, W. Wong, Montreal/CDN, E. Gagnon, Brossard/CDN, and S. Yue, Montreal/CDN	
Characterization and performance evaluation of a helium recovery system designed for cold spraying	34
Aerospace Industry	
C. V. Cojocar, S. E. Kruger, R. S. Lima, Boucherville/CDN, and C. Moreau, Montreal/CDN	
Mechanical properties and behaviour of BSAS/mullite-based environmental barrier coatings exposed to high temperature in water vapour environment	34
K. Binder, F. Gärtner and T. Klassen, Hamburg/D	
Ti-Parts for aviation industry produced by cold spraying	35
G. Pulci, M. Tului, J. Tirillò, F. Marra, S. Lionetti and T. Valente, Roma/I	
High temperature mechanical behaviour of UHTC coatings for thermal protection of re-entry vehicles	35
G. Matthäus, J. Wolf and D. Ackermann, Dortmund/D	
Near-net-shape HVOF coating and finishing techniques for highly stressed components in aircraft industry	35
S. Costil, S. Lukat, C. Verdy and C. Coddet, Belfort/F	
Influence of the surface state on the adherence of the coating: case of an alumina coating plasma sprayed on SiC composites	36
Properties 2	
J. Nebel, E. Vogli and W. Tillmann, Dortmund/D	
Arc spraying of WC-FeCSiMn cored wires – Part 1: bending, compression and tension behavior	36
S. Brossard and P. R. Munroe, Sydney/AUS	
A comparative study of the splat morphology and the splat-substrate interaction for NiCr sprayed on to stainless steel by both plasma and HVOF spraying	36
K. H. Kim, M. Watanabe, S. Kuroda and N. Kawano, Tsukuba/J	
Observation of microstructures in thermal sprayed coatings and single deposited splats using ion beam milling ..	37
W. Tillmann, E. Vogli and M. Abdulgader, Dortmund/D	
Functionally graded coatings produced by means of twin wire arc spraying	37
Modeling and Simulation 2	
R. Bolot, C. Coddet, Belfort/F, A. Allimant and D. Billières, Avignon/F	
Effects of fluid/solid couplings on the plasma flow inside a direct current plasma gun	37
E. Farvardin, Montreal/CDN, O. Stier, V. Luthen, Berlin/D, and A. Dolatabadi, Montreal/CDN	
Effect of using liquid feedstock in a high pressure cold spray nozzle	38
Yu. Korobov, M. Filippov, A. Belozertsev, S. Neveszin and V. Shymiyakov, Ekaterinburg/RUS	
Metastable austenite type core wire for arc spraying – modeling of heat transfer in end face and coating structure analysis	38
R. Bolot, J. L. Seichepine, J. H. Qiao and C. Coddet, Belfort/F	
Predicting the thermal conductivity of AlSi/polyester abrasable coatings: effects of the numerical method	38
K. Shinoda, Tsukuba/J, K. Nagashio, Tokyo/J, H. Murakami, S. Kuroda, Tsukuba/J, and K. Kuribayashi, Tokyo/J	
In situ observation of impact phenomena of zirconia molten drops in millimeter scale via aerodynamic levitator ..	39
Corrosion Protection	
O. Preziosa, A. Denoirjean, G. Montavon, P. Denoirjean, P. Fauchais, T. Chartier, Limoges/F, C. Barthhelemy, V. Laurent, Voreppe/F, and D. Lombard, Saint-Jean-de-Maurienne/F	
Assessment of flame-sprayed glaze layers as diffusion barriers on refractory materials	39
E. Garcia, J. Mesquita-Guimarães, P. Miranz, M. I. Osendi, Madrid/E, C. V. Cojocar, Y. Wang, C. Moreau and R. S. Lima, Boucherville/F	
Phase composition and microstructural responses of crystalline mullite/YSZ coating under water vapor environments	39

C. M. Deng, C. G. Deng, M. Liu, J. Huang, K. S. Zhou, Z. K. Chen, Guangzhou/CN, A. Wank and A. Schwenk, Luckenbach/D	
Corrosion of Ti coating prepared by modified HVOF process	40
N. Serres, F. Hlawka, Strasbourg/F, S. Costil, C. Langlade, Belfort/F, and F. Machi, Illkirch-Graffenstaden/F	
Corrosion behavior of NiCrBSi alloy coatings manufactured via in situ plasma spray – laser re-melting process ..	40
G. Kaushal, Mandi Gobindgarh/IND, H. Singh, Rupnagar/IND, and S. Prakash, Roorkee/IND	
Cyclic oxidation behavior of HVOF-sprayed Ni-20Cr coating on ASTM-SA213-T22 boiler steel at 900 °C	40

Wear Protection 3

F. Vargas, Limoges/F and Medellín/CO, H. Ageorges, W. Xin, P. Fauchais, Limoges/F, and M. Lopez, Medellín/CO	
Comparison of two structure scales of plasma sprayed Al ₂ O ₃ -TiO ₂ coatings on mechanical and tribological properties	41
K. Nomakuchi, F. Itoigawa, Nagoya/J, J. Kitamura and K. Sato, Kagamigahara/J	
Tribological analysis of WC cermet coatings with friction test under tensile stress condition	41
P. Patil, F. Sadeghi, West Lafayette/USA, S. Dixit, R. Dixit, Torance/USA, and M. Chin, West Lafayette/USA	
Experimental investigation of fretting wear on nitrided and thermal spray coated Ti-6-4 parts for LiftFan applications	41

Gas Turbines 3

C. Giolli, Parma/I, B. Allegrini, Bergamo/I, T. Duda, L. Engl, Baden/CH, A. Giorgetti, A. Groppetti, A. Lanzi, S. Pini, M. Spagnoli and A. Scrivani, Parma/I	
TBC dry ice stripping	42
S. Takahashi, Tokyo/J, M. Hatano, Tokyo/J, Y. Kojima, Hitachi/J, Y. Harada, Akashi/J, A. Kawasaki, Sendai/J, and F. Ono, Osaka/J	
Thermal cycle resistance of oxidation-resistant metallic coatings	42
N. Curry, N. Markocsan, X.-H. Li, A. Tricoire, Trollhättan/S, and M. Dorfman, Westbury/USA	
Next generation thermal barrier coatings for the gas turbine industry	42

Properties 3

R. Mušálek, J. Matějček, V. Pejchal, Prague/CZ, E. Mari, A. Valarezo and S. Sampath, Stony Brook/USA	
Influence of pores and cracks morphology on mechanical behavior of thermally sprayed ceramics	43

Biomedical and Polymer Coatings

D. Seo, Sendai/J, N. Mahiou, Villeurbanne/F, K. Ogawa, T. Shoji, K. Ito and I. Tirtom, Sendai/J	
Feasibility of polycarbonate coatings by cold spray process	43
J. L. Xu, K. A. Khor and J. Cizek, Singapore/SGP	
Microstructures and adhesive bonding strength analysis of plasma sprayed silica modified hydroxyapatite coatings on Ti-6Al-4V substrates	43
S. Hasan and J. Stokes, Dublin/IRL	
Design of experiment analysis of the Sulzer Metco DJ high velocity oxy-fuel coating of hydroxyapatite for orthopaedic applications	44

Posters

Aerospace Industry

C. V. Cojocar, Y. Wang, R. S. Lima, Boucherville/CDN, C. Moreau, Montreal/CDN, J. Mesquita-Guimarães, E. Garcia, P. Miranzo and M. I. Osendi, Madrid/E	
Mechanical behaviour of air-plasma sprayed functionally graded YSZ-mullite environmental barrier coatings: a study via instrumented indentation	44
H. Sun, C. Wang, Qingdao/CN, X. Liu, Z. Qu and J. Bi, Shandong/CN	
Research of plasma spraying process of nanostructured zirconia thermal barrier coating	44

Corrosion and Wear Protection

S. K. Shaha, M. M. Haque and S. Dyuti, Kuala Lumpur/MAL
Effect of temperature on wear characteristic of cast iron 45

Z. Zhou, L. Wang, D. He, F. Wang and Y. Liu, Beijing/CN
Microstructure and electrochemical behavior of Fe-based amorphous metallic coatings fabricated by atmospheric plasma spraying 45

A. Pelz, Thale/D
Analysis of Fe-base materials and evaluation of their suitability for wear protection coatings 45

K.-F. Huang, J.-P. Fang, S.-H. Wu, B. Xu, L. Ye and Z.-K. Liu, Suzhou/CN
Comparative analysis of anti-cavitation and abrasion resistance properties of two different detonation coatings .. 46

J. Laurila, K. Niemi and P. Vuoristo, Tampere/FIN
Degradation mechanisms of thermally sprayed coatings in chloride containing electrolytes 46

HVOF, Cold and Kinetic Spraying

S. M. Ang, C. C. Berndt, Melbourne/AUS, P. Cheang, Singapore/SGP, and J. Wang, Melbourne/AUS
Effects of WC particle size on deposition of cold spray WC-Co coatings 46

J. Kocinski, R. Gr. Maev, V. Leshchynsky, Windsor/CDN, J. Kocinski and A. Ambroziak, Wroclaw/PL
Modeling of particle consolidation by cold spray 47

J. Cho, Andong/KR, D. Park, J. Kim, Gyeongju/KR, J. Lee, Gongju/KR, and K. Lee, Andong/KR
Effect of powder preheating temperature on the properties of Cu-based amorphous coating layer by cold spray deposition 47

A. Sova, V. Kosarev, S. Klinkov, Novosibirsk/RUS, and I. Smurov, Saint-Etienne/F
Location of the powder injection as independent parameter to control particle velocity and temperature in cold spray 47

Industrial Engineering

W. Gao, Changchun/CN, H.-L. Liao and C. Coddet, Belfort/F
Oxide ion conductivity in dense apatite-type lanthanum silicate 48

Modeling and Simulation

S. K. Shaha and M. M. Haque, Kuala Lumpur/MAL
Computer-aided cooling curve used to predict the solidification behaviour of cast iron 48

Plasma and Laser Spraying

N. Zhang, Belfort/F and Dailan/CN, F. Sun, L. Zhu, C. Verdy, M. P. Planche, H. Liao and C. Coddet, Belfort/F
Characteristics of Cu film-like deposited by using VLPPS 48

H. Yang and S. Pan, Xi'an/CN
The bonding mechanism of WC-12Co coatings prepared by supersonic plasma spraying 49

H. Yang and H.Chen, Xi'an/CN
Effect of the nitrogen flow rate on the microstructure and transformation rate of TiN coatings in reactive plasma spraying 49

Power Engineering

M. Minisker, T. Bengi, E. Ciftiyurek, O. Keles and I. Y. Taptik, Istanbul/TR
The role of parameters on the hardness of HVOF sprayed bond coats in thermal barrier coatings 49

Pre- and Post-Treatment

S. Costil, Belfort/F, E. Irissou, Boucherville/CDN, Y. Danlos Belfort/F, J.-G. Legoux, Boucherville/CDN, W. Wong, S. Yue, Montreal/CDN, C. Moreau, Boucherville/CDN, and C. Coddet, Belfort/F
The PROTAL[®] process applied on cold spraying to improve interface adherence and coating cohesion – case of titanium and nickel based alloys 50

A. Lamraoui, C. Langlade, S. Costil and C. Coddet, Belfort/F
Surface pretreatments including laser texturing for thermal spraying 50

Process Diagnostics, Sensors and Controls

H. Yang, G. Li and L. Wang, Xi'an/CN
Influence of improved plasma gun on the particle in-flight properties of temperature and velocity 50

D. Soysal, Stuttgart/D, T. Kavka, Prague/CZ, and A. Ansar, Stuttgart/D
Effects of radial liquid injection on atmospheric plasma characteristics 51

M. Parco, G. Barykin, I. Fagoaga, San Sebastián/E, G. Mariaux, S. Goutier and M. Vardelle, Limoges/F
The oxy-fuel ionization (OFI) process – experimental process analysis 51

Properties, Characterization and Testing

Yu. Korobov, B. Potechin, L. Gogolev, V. Ilushin and M. Deviatarov, Ekaterinburg/RUS
Comparison of structure and wear properties of Babbitt layers which are produced by arc spraying and pouring . 51

M. Tuiprae, S. Wirojanupatump and S. Jiansirisomboon, Chiang Mai/T
Characterization of some electric arc sprayed cored-wire and nano cored-wire cermet coatings 51

J. Nebel, B. Klusemann, E. Vogli, W. Tillmann and B. Svendsen, Dortmund/D
Arc spraying of WC-FeCSiMn cored wires – Part 2: young's modulus measurement and simulation 52

T. Sonoda,T. Kuwashima,M. Nakamura and T. Saito, Iwate/J
Effect of powder compressive strength on deposition characteristics in cold spraying 52

W. T. Hsiao, C. Y. Su, Hsinchu/TW, T. S. Huang, Kaohsiung/TW, W. H. Liao and M. S. Leu, Hsinchu/TW
Addition of hBN to NiAl coatings deposited using APS and HVOF thermal spraying 52

C. Wang, H. Sun, Qingdao/CN, X. Liu, Z. Qu and J. Bi, Shandong/CN
Preparation process and property research of Fe-Cr-Al intermetallic compound coating 52

Solid Oxide Fuel Cell

F. Sun, H. Liao, N. Zhang, O. Rapaud and C. Coddet, Belfort/F
Plasma sprayed electrolyte of magnesium doped lanthanum silicate with apatite-type structure 53

Y. Shen, F. Gitzhofer and V. Almeida, Sherbrooke/CDN
Preparation of nanocomposite GDC/LSCF cathode material for IT-SOFC by RF induction plasma spraying 53

X.-M. Wang, C.-X. Li, C.-J. Li, L.-H. Tian, B. Song and G.-J. Yang, Xi'an/CN
Microstructure and electrochemical behavior of Sm_{0.5}Sr_{0.5}CoO₃ deposited by solution precursor plasma spraying 53

Thermal Spray and other Surface Engineering Technologies

K.-A. Lee, Y.-M. Jin, Andong/KR, and J.-H. Ahn, Pohang/KR
Effect of carbide type on the properties of low vacuum plasma sprayed W-based composite coating layer 54

List of authors and co-authors 56