

Contents

Preface	VII
Abstract	IX
Contents	XI
List of Tables	XV
List of Figures	XVII
List of Abbreviations	XXI
List of Symbols	XXIII
1 Introduction	1
2 The IEEE 802.11 Standard Series	5
2.1 The ISO/OSI Reference Model	8
2.2 IEEE 802.11 Architecture	12
2.3 IEEE 802.11 Protocol Stack	14
2.3.1 IEEE 802.11 PHY Layer	15
2.3.1.1 OFDM Transmission	17
2.3.1.2 Structure of the 802.11a PHY PDU	21
2.3.1.3 Clear Channel Assessment	22
2.3.2 IEEE 802.11 MAC Layer	22
2.3.2.1 Contention Window Size Control	28
2.3.2.2 Interframe Spacing	29
2.3.2.3 Timing sequence of a 802.11 DCF packet transmission	30
2.3.3 RTS/CTS Extension	32
2.3.4 Power Management	34
2.3.5 Format of the MAC Frame	34
2.4 IEEE 802.11h Spectrum Management Extensions	35
2.4.1 Dynamic Frequency Selection	36

2.4.2	Transmit Power Control	39
2.4.3	Negotiation of Spectrum Management Capabilities	41
2.5	Centralised Channel Access	42
2.6	Enhancing Transmission Speed by MIMO	45
2.7	Summary	48
3	Theoretical Aspects of Wireless LAN Performance	49
3.1	Related Work	49
3.1.1	Frequency Channel Selection	49
3.1.2	Power Control	53
3.1.3	Link Adaptation	57
3.1.4	Cross-Layer Design	58
3.2	Performance of IEEE 802.11 Wireless LANs	60
3.2.1	Throughput	63
3.2.1.1	Network with Two Stations	63
3.2.1.2	General Case: Network with n Stations	65
3.2.2	Delay in Case of Ideal Channel	73
3.3	Performance in Case of Limited Transmission Ranges	74
3.3.1	Concurrent Transmissions	75
3.3.2	Effect of the CCA Threshold	80
3.3.3	Stations Outside Each Other's CCA Range	82
3.3.4	Hidden Stations	84
3.4	Effects of Spectrum Management on the Capacity	86
3.4.1	Power Control	86
3.4.2	Dynamic Frequency Selection	87
3.4.2.1	Effects on the Performance	87
3.4.2.2	DFS Convergence Characteristics	89
3.5	Assigning Airtime in Centralised Operation	96
3.5.1	Sequential Transmission	96
3.5.2	Parallelised Transmission	101
3.6	Summary	102
4	Spectrum Management Algorithms	103
4.1	Dynamic Frequency Selection	103
4.1.1	Acquisition of Measurements	104
4.1.1.1	Measuring Sequence	104
4.1.1.2	Measurement Values	105
4.1.2	Principle of Controllers	106
4.1.3	Decision Algorithms	107

4.1.3.1	Least Interfered	109
4.1.3.2	Fuzzy Logic	109
4.1.3.3	Genetic Algorithm	113
4.1.3.4	Introduction of Randomness	117
4.1.4	Simulated Annealing	118
4.1.5	Error Recovery	119
4.2	Transmit Power Control	120
4.2.1	Infrastructure Networks	121
4.2.2	Ad-Hoc Networks	125
4.2.2.1	Initialisation State	126
4.2.2.2	Testing State	127
4.2.2.3	Controlling State	127
4.2.2.4	Monitoring State	128
4.3	Signalling Issues for Power Control	129
4.4	Link Adaptation	131
4.5	Summary	132
5	Cross-Layer Architecture	133
5.1	Introduction	133
5.2	Two-Stage Cross-Layer Scheduler	134
5.2.1	QoS Aware Scheduler	139
5.2.2	MIMO-TDMA	143
5.3	Scheduling for Parallelised Transmissions	146
5.3.1	MIMO-OFDMA	147
5.3.2	MIMO-SDMA	149
5.4	Summary	150
6	Simulation Environment	153
6.1	Discrete Event Simulators	153
6.2	The WARP2 Simulator	154
6.2.1	Specification and Description Language	154
6.2.2	Structure of the Simulator	155
6.3	Simulator Extension by Spectrum Management	158
6.4	Simulator Extension by Cross-Layer Scheduling	158
6.5	Summary	160
7	Simulation Results	163
7.1	Spectrum Management Results	163
7.1.1	Network Performance without Spectrum Management	163

7.1.2	Dynamic Frequency Selection (DFS)	165
7.1.2.1	Static Scenario	165
7.1.2.2	Convergence Characteristics	168
7.1.2.3	Mobility Scenario	172
7.1.3	Transmit Power Control (TPC)	175
7.1.3.1	Validation of the Theoretical Model	175
7.1.3.2	CCA Effect	177
7.1.3.3	TPC Convergence: Infrastructure	180
7.1.3.4	TPC Convergence: Ad-Hoc	183
7.1.3.5	TPC with Variable Load and Number of Stations	183
7.1.4	DFS and TPC	189
7.1.4.1	Regular Scenario	189
7.1.4.2	Irregular Scenario	192
7.1.5	Integration of DFS, TPC and Link Adaptation (LA)	194
7.2	Performance of the Cross-Layer Architecture	197
7.2.1	Cross-Layer Scheduler	198
7.2.2	Quality-of-Service Scheduling on the MAC Layer	206
7.2.3	Parallel Transmission of Data	210
7.3	Summary	214
8	Conclusions and Outlook	217
8.1	Conclusions	217
8.2	Outlook	219
	Bibliography	223