

An Introduction to Queueing Theory

Brian D. Bunday *BSc, PhD, CMath, FIMA, CStat*

Head of the Department of Mathematics, University of Bradford, UK



A member of the Hodder Headline Group

LONDON • SYDNEY • AUKLAND

Copublished in the Americas by Halsted Press an imprint of John Wiley & Sons Inc.
New York – Toronto

Contents

Preface	ix
Introduction	1
The arrivals	1
The service mechanism	3
The meaning of the mathematical results	4
Examples 1	6
Solutions to examples 1	7
1 Generating functions	10
1.1 The probability generating function	10
1.2 The moment generating function – the Laplace transform	12
1.3 Examples 2	15
1.4 Solutions to examples 2	16
1.5 Random arrivals – a generating function approach	20
1.6 Non-homogeneous Poisson arrivals	22
1.7 Random arrivals and negative exponential service – again!	22
1.8 Examples 3	23
1.9 Solutions to examples 3	24
2 Simple queues	27
2.1 A very simple system	27
2.2 Examples 4	30
2.3 Solutions to examples 4	31
2.4 A queue with one server, random arrivals and negative exponential service	33
2.5 Properties of the M/M/1 queueing system	38
2.6 Some general considerations	42
2.7 Examples 5	43
2.8 Solutions to examples 5	44
3 Birth–death models	48
3.1 Special cases	49
3.2 Examples 6	53
3.3 Solutions to examples 6	54

3.4	A two-server queue – the M/M/2 queue	54
3.5	Examples 7	58
3.6	Solutions to examples 7	59
3.7	The machine interference problem	60
3.8	The M/M/1 machine interference model (finite source model)	62
3.9	Examples 8	65
3.10	Solutions to examples 8	65
4	The M/G/1 system	68
4.1	Examples 9	71
4.2	Solutions to examples 9	72
4.3	The steady-state distribution of q_n	74
4.4	The time spent in the system	76
4.5	Examples 10	79
4.6	Solutions to examples 10	80
5	The imbedded Markov process	82
5.1	Single-server queue, random arrivals at rate α , general service time – M/G/1	82
5.2	Examples 11	85
5.3	Solutions to examples 11	86
5.4	Single-server queue, general inter-arrival time, exponential service – G/M/1	88
5.5	Examples 12	91
5.6	Solutions to examples 12	91
5.7	The Markov chain formulation	93
6	Other models for a single-server queue	98
6.1	Bulk arrivals	98
6.2	Service consisting of k independent phases each having a negative exponential service with mean $1/\beta$	100
6.3	Examples 13	105
6.4	Solutions to examples 13	107
7	Random arrivals, block service, constant interval between the times at which service is available	111
7.1	The proportion of customers who don't have to wait beyond the first time that service becomes available	114
7.2	The special case when $N = 1$	115
7.3	Examples 14	120
7.4	Solutions to examples 14	121
8	Transient solutions	125
8.1	The M/M/1 queue	125
8.2	A solution method using generating functions	125

8.3	Examples 15	132
8.4	Solutions to examples 15	134
9	Networks of queues	139
9.1	Introduction	139
9.2	The output from a queue	140
9.3	Examples 16	141
9.4	Solutions to examples 16	142
9.5	Two systems in tandem	143
9.6	Splitting a Poisson stream	144
9.7	Feed forward networks	145
9.8	Examples 17	146
9.9	Solutions to examples 17	147
9.10	Open networks	149
9.11	Examples 18	155
9.12	Solutions to examples 18	156
9.13	Closed networks	159
9.14	Examples 19	162
9.15	Solutions to examples 19	163
10	Simulation models	166
10.1	Introduction	166
10.2	Hand simulation of an M/M/1 system	168
10.3	Computer simulation of a G/G/1 queue and a G/G/2 queue	169
10.4	The simulation of a machine-minding problem	174
10.5	Some general comments	177
10.6	Examples 20	177
10.7	Solutions to examples 20	178
Appendix. The transient solution for the M/M/1 queue: a simple solution at last		184
	Introduction	184
	A simple form for the transient solution	185
	The special case $\rho = 1$	188
	$\sum_{n=0}^{\infty} p_n(\tau) = 1$ for all τ	189
	Some numerical results	191
	Acknowledgements	191
	References	192
	Examples A1	192
	Solutions to examples A1	192
	Final update	196
	References	196
	Tables (Numerical results)	197
Index		203