

ANNALES ACADEMIÆ SCIENTIARUM FENNICÆ

MATHEMATICA

DISSERTATIONES

151

UNIFORMLY QUASIREGULAR MAPPINGS
ON ELLIPTIC RIEMANNIAN MANIFOLDS

RIIKKA KANGASLAMPI

Helsinki University of Technology, Department of Mathematics and Systems Analysis

*Dissertation for the degree of Doctor of Science in Technology to be presented,
with due permission of the Faculty of Information and Natural Sciences,
for public examination and debate in Auditorium K at Helsinki University
of Technology (Espoo, Finland) on the 30th of May, 2008, at 12 o'clock noon.*

HELSINKI 2008
SUOMALAINEN TIEDEAKATEMIA

TIB/UB Hannover 89
132 935 023



CONTENTS

1	Introduction	7
1.1	History of the research on quasiregular mappings	7
1.2	Overview of this thesis	8
2	Preliminary results	9
2.1	Normal coordinates	9
2.2	Geodetically convex neighbourhood	10
2.3	Locally bilipschitz-continuous coordinate charts	14
3	Definitions and properties of quasiregular mappings	17
3.1	Quasiregular mappings	17
3.2	Branch set	18
3.3	Uniformly quasiregular mappings	19
3.4	Lattès-type mappings	21
3.5	Normal family	21
4	Dynamics of uniformly quasiregular mappings	23
4.1	Local representations	23
4.2	Julia sets	26
5	Rescaling principle	32
5.1	Criteria for normality	32
5.2	Rescaling principle on manifolds	36
5.3	Manifolds supporting uqr-mappings are elliptic	45
6	Elliptic 3-manifolds	47
6.1	Representation by a polyhedron	47
6.2	3-dimensional model geometries	47
7	Uniformly quasiregular mappings on elliptic 3-manifolds	51
7.1	Spherical space forms	51
7.2	Euclidean space forms	51
7.2.1	Manifolds with tetragonal basis	52
7.2.2	Manifolds with hexagonal basis	56
7.3	Manifolds covered by $\mathbb{S}^2 \times \mathbb{R}$	61
7.3.1	Sphere bundle $\mathbb{S}^2 \times \mathbb{S}$	61
7.3.2	Connected sum $\mathbb{P}^3 \# \mathbb{P}^3$	64
	References	68