

Contents

I. γ-ray spectroscopy of ^{33}P and ^{33}S	13
1. Nuclear Shell Model for sd -shell nuclei	15
1.1. The Nuclear Shell Model	15
1.2. The universal sd interaction - USD	22
1.3. Effective sd - pf shell-model interactions	25
1.4. The PSDPF interaction	28
1.5. The $A = 33$ isotopes ^{33}P and ^{33}S	31
2. γ -ray spectroscopy of ^{33}P and ^{33}S	35
2.1. The fusion-evaporation reaction $^{13}\text{C} + ^{26}\text{Mg}$	35
2.2. Level scheme of ^{33}P	37
2.3. Level Scheme of ^{33}S	42
2.4. $\gamma\gamma$ angular-correlation analysis	47
2.4.1. Properties of γ radiation	47
2.4.2. $\gamma\gamma$ angular correlation in in-beam experiments	49
2.4.3. Determination of level spins in ^{33}P	52
3. Shell-Model Calculations	59
3.1. Calculations for ^{33}P	59
3.1.1. Level Scheme of ^{33}P	59
3.1.2. Transition Strength	63
3.2. Calculations for ^{33}S	65
3.2.1. Level Scheme of ^{33}S	65
3.2.2. Transition Strength	67
3.3. Summary	68

II. Upgrade and Commissioning of the Lund-York-Cologne	
 Calorimeter	73
4. Introduction	75
4.1. HISPEC Campaign	77
4.2. LYCCA	78
5. Upgrade of LYCCA	81
5.1. Detectors	81
5.1.1. Functionality of the detectors	81
5.1.2. DSSSD	83
5.1.3. Caesium iodide (CsI) scintillators	86
5.1.4. LYCCA $\Delta E - E$ telescope	91
5.2. Electronics	92
5.2.1. Application Specific Integrated Circuit (ASIC)	93
5.2.2. Front End Electronics (FEE)	96
5.2.3. Adapter Box	98
5.2.4. Electronics System	99
5.3. Mechanics	102
6. Commissioning of LYCCA	106
6.1. Test of ASICs	106
6.2. Triple-alpha measurement with DSSSD	112
6.2.1. Energy Resolution	112
6.2.2. Energy correlations	118
6.3. In-beam experiment	120
6.3.1. Elastic Scattering of $^{12}\text{C} + ^{197}\text{Au}$	120
6.3.2. Elastic and inelastic scattering of $^{12}\text{C} + ^{12}\text{C}$	129
6.4. Summary	132
7. Outlook	134
A. Shell Model Calculations	137
A.1. Level Energies	137
A.2. Transition Strength $B(L)$	140
B. Mapping and technical drawing of LYCCA FEE-mezzanine	145
List of tables	153

