

Contents

1	Introduction	1
2	Ideal gate-based quantum computing	5
2.1	Quantum bits	5
2.1.1	Single qubits	6
2.1.2	Bloch sphere	6
2.1.3	Multiple qubits	8
2.1.4	Leakage	11
2.2	Quantum gates	12
2.2.1	Unitary operators	12
2.2.2	Elementary quantum gates	13
2.3	Quantum circuits	14
2.4	Quantum operations	16
2.4.1	Representations of quantum operations	17
2.4.2	Transformations of subsystems and leakage	19
3	Simulating superconducting transmon qubits	21
3.1	Superconducting circuits	21
3.1.1	Quantum and classical descriptions	22
3.1.2	LC resonator	23
3.1.3	Josephson junction	24
3.1.4	Cooper pair box	25
3.2	Transmon quantum computer model	26
3.2.1	Hamiltonian	26
3.2.2	Choice of the basis	27
3.3	Simulation toolkit	31
3.3.1	Numerical algorithm: <code>solver</code>	32
3.3.2	Evaluation of the results: <code>evaluator</code>	38
3.3.3	Visualization of the results: <code>visualizer</code>	42
3.4	Definition of the model systems	42
3.4.1	Single transmon-resonator system	42
3.4.2	Transmon-resonator system coupled to a bath	42
3.4.3	Two-transmon system	44
3.4.4	Small five-transmon system	44
3.4.5	Large five-transmon system	44

3.5	Modeling electromagnetic environments	48
3.5.1	The Foster representation of an electromagnetic environment	50
3.5.2	Mapping to the model Hamiltonian	52
4	Free time evolution	59
4.1	Accuracy and performance benchmarks	60
4.1.1	Accuracy	60
4.1.2	Performance	63
4.2	Single transmon-resonator system	68
4.2.1	Overview of known perturbative results	68
4.2.2	Comparison to simulation results	70
4.3	Transmon-resonator system coupled to a bath	72
4.3.1	Simulation models	73
4.3.2	Results	75
4.3.3	Additional ways to improve the models	79
4.4	Effective ZZ interaction for coupled transmons	80
4.5	Conclusions	83
5	Optimizing pulses for quantum gates	85
5.1	Single-qubit pulses	86
5.1.1	The VZ gate	87
5.1.2	The GD pulse	87
5.1.3	The zero pulse	88
5.2	Two-qubit pulses	89
5.2.1	CNOT gates based on the CR effect	89
5.2.2	Analysis of IX and ZX interactions	96
5.3	Optimization of pulse parameters	98
5.3.1	The Nelder–Mead algorithm	99
5.3.2	Optimization results	101
5.4	Compiling quantum circuits	105
5.5	Alternative gate optimization techniques	107
5.6	Conclusions	107
6	Errors in quantum gates	109
6.1	Evaluation of gate metrics	110
6.1.1	Average gate fidelity	110
6.1.2	Diamond distance	111
6.1.3	Unitarity	115
6.1.4	Results	116
6.2	Repeated gate applications	120
6.2.1	Evolution of the diamond distance	120
6.2.2	Relation to experiments	123
6.3	Gate set tomography	125
6.3.1	The idea of GST	126
6.3.2	Running GST	129

6.3.3	Predicting repeated pulse applications	135
6.4	Conclusions	138
7	Selected quantum circuit experiments	141
7.1	Crosstalk experiments	142
7.1.1	Circuit and simulation results	142
7.1.2	Comparison with experiments on the IBM Q Experience	145
7.2	Characterization of the singlet state	147
7.2.1	Experiment	148
7.2.2	Effective error model	152
7.3	Testing quantum fault tolerance	155
7.3.1	Fault-tolerant protocol	156
7.3.2	Test systems and circuits	159
7.3.3	Results	161
7.4	Conclusions	165
8	Discussion and conclusion	167
Appendices		171
A	Visualization of quantum gate implementations	173
B	Elementary gate set used for the simulation	176
C	The reason for linear and unitary transformations in quantum theory	178
C.1	Wigner’s theorem	178
C.2	Alternative approaches	181
C.3	General remarks	183
D	Implementations of the four-component transformations V and V^\dagger	184
E	Error bounds for observables	186
F	Pulse parameters for quantum gates	187
G	Average fidelity of trace-decreasing quantum operations	190
G.1	Preliminaries	190
G.2	Quantum information theoretic proof	191
G.3	Analytic proof	192
H	Diamond distance between unitary quantum operations	194
I	Proof of a diamond-distance bound for trace-decreasing operations	196
J	Gate decompositions and effective Hamiltonians	198
J.1	The matrix logarithm	199
J.2	Extracting the Hamiltonian	199
Bibliography		203
List of publications		231
Eidesstattliche Erklärung		233
Acknowledgments		235