

CONTENTS

| | |
|--|-----------|
| I. Introduction | 9 |
| 1 Accelerator parameters | 10 |
| 2 HBS in the context of accelerator based neutron sources | 11 |
| 3 Choice of technology | 12 |
| 4 Design philosophy for the HBS linac | 16 |
| 5 Realisation | 18 |
| <hr/> | |
| II. Front End | 19 |
| 1 Ion source | 19 |
| 2 Low Energy Beam Transport | 21 |
| 2.1 Beam Line Layout | 21 |
| 2.2 Beam Optics | 22 |
| 2.3 ExB Chopper | 23 |
| 2.4 Beam Instrumentation | 24 |
| 2.5 Beam Line Acceptance | 25 |
| 3 Radio Frequency Quadrupole | 27 |
| 3.1 RF Structure | 28 |
| 3.2 RFQ Beam Dynamics | 31 |
| 4 Medium Energy Beam Transfer | 39 |
| 4.1 MEBT-1 | 39 |
| 4.2 Resulting Design | 40 |
| 4.3 MEBT-2 | 42 |
| 4.4 Resulting Design | 43 |
| <hr/> | |
| III. Drift Tube Linac | 47 |
| 1 Beam Dynamics Concept | 48 |
| 1.1 Underlying Conditions | 51 |
| 1.2 Resulting Design | 52 |
| 1.3 Focusing Lattice | 57 |
| 1.4 Debunching Section | 60 |
| 1.5 Preliminary Error Studies | 61 |

| | |
|---|-----|
| 2 Drift Tube Linac: Cavity Design | 63 |
| 2.1 Types of acceleration structures | 63 |
| 2.2 CH-structure | 64 |
| 2.2.1 Operation in TE mode | 64 |
| 2.2.2 Parameter for characterization | 66 |
| 2.2.3 RF coupling | 67 |
| 2.2.4 Construction details | 68 |
| 2.2.5 Tuning concept | 70 |
| 2.2.6 Cooling concept | 72 |
| 2.2.7 Further optimization | 72 |
| 2.2.8 CH-cavity design results | 77 |
| <hr/> | |
| IV. RF Systems | 81 |
| 1 RF power amplifiers | 81 |
| 2 Low Level RF System (LLRF) | 82 |
| <hr/> | |
| V. Beam Diagnostics, Vacuum & Cooling Systems | 87 |
| 1 Beam Diagnostics | 87 |
| 2 Vacuum / Cooling system | 88 |
| <hr/> | |
| VI. Beam transport and multiplexing | 89 |
| 1 Multiplexer system | 89 |
| 2 High energy beam transport (HEBT) | 94 |
| 2.1 Beamline layout | 94 |
| 2.2 Beam optics | 96 |
| 2.3 Beamline acceptance | 97 |
| 2.4 Quadrupole and correction magnet layout | 98 |
| 2.5 Beam instrumentation | 99 |
| 3 Beam dump | 100 |
| 3.1 Beamline layout and beam optics | 100 |
| 3.2 Beam dump layout | 100 |
| 3.2.1 Features of design elements and assembly technology | 101 |
| 3.2.2 Adjustable mobile platform | 104 |
| <hr/> | |
| VII. Control / Operation systems | 105 |
| 1 Overview | 105 |
| 2 Accelerator Control System Architecture | 106 |
| 2.1 Vertical structure | 106 |
| 2.1.1 Horizontal Structure | 107 |
| 2.2 Functional structure | 108 |
| 3 Selection of Technologies | 110 |
| 3.1 Software framework for the control system core | 110 |
| 3.2 Software framework for HMIs | 111 |

| | | |
|----------|--|------------|
| 3.3 | Computer and network technologies | 111 |
| 3.4 | PLC technologies | 111 |
| 4 | Implementation approach for functional groups | 112 |
| 4.1 | Human Machine Interface (HMI) | 112 |
| 4.1.1 | Synoptic Editor | 112 |
| 4.1.2 | Alarm and Logging Systems | 113 |
| 4.1.3 | Process data archive | 114 |
| 4.1.4 | Electronic Logbook | 115 |
| 4.2 | Timing System | 116 |
| 4.3 | Beam Diagnostics | 118 |
| 4.4 | Personnel Protection System (PPS) | 118 |
| 4.5 | Machine Protection System (MPS) | 119 |

| | | |
|--------------|---|------------|
| VIII. | Safety systems / Radiation Safety | 121 |
| 1 | Radiation Safety Requirements | 121 |
| 2 | The Radiation Shielding Plan for HBS | 122 |
| 3 | Radiation Protection Concerning the Emission of Radio-Nuclides | 124 |
| 4 | Installations for the handling of induced radioactivity | 125 |
| 4.1 | Activation of accelerator components | 126 |
| 4.2 | Ventilation system for activated air | 126 |
| 4.3 | Target cooling systems | 127 |
| 4.4 | Storage for radioactive residuals | 128 |

| | | |
|------------|-------------------------------------|------------|
| IX. | Infrastructure and buildings | 129 |
| 1 | Infrastructure and support | 129 |
| 2 | Buildings | 129 |
| 3 | Costing and timeline | 131 |

| | | |
|-----------|---|------------|
| X. | Author list and acknowledgements | 133 |
| 1 | Volume author list | 133 |
| 2 | Acknowledgments | 133 |

| | | |
|-----------|-------------------------|------------|
| A. | Appendix | 135 |
| 1 | Simulation tools | 135 |
| 1.1 | LORASR | 135 |
| 1.2 | TraceWin | 136 |