

Table of content

Acknowledgements I

Abstract..... II

1 Introduction..... 1

1.1 The GWFTS Task Force 1

1.2 Background..... 2

1.2.1 Early work on the skin effect in wellbores 2

1.2.2 Skin effect in deep mines in crystalline rock 4

1.3 Report structure 4

2 Flow skin processes 7

2.1 Observations..... 7

2.1.1 Borehole scale 7

2.1.2 Tunnel scale 11

2.1.3 Repository scale 19

2.2 Potential processes and features 20

2.2.1 Mechanical fracture closure 20

2.2.2 Degassing..... 22

2.2.3 Turbulent flow in channels 22

2.2.4 Clogging..... 22

2.2.5 Scale dependence and connectivity 23

2.2.6 Process and feature interactions..... 23

3 Transport skin observations 25

3.1 Observations..... 25

3.1.1 Observations in the laboratory 27

3.1.2 Observations in the field..... 31

3.2 Potential processes and features 36

3.2.1 Porosity distribution..... 37

3.2.2 Inhomogeneity of the rock..... 37

3.2.3 Degassing..... 37

3.2.4 Advection opposing diffusion..... 38

3.2.5 Borehole disturbed zone 38

3.2.6 Rock desaturation 38

3.2.7 Mechanical stress redistribution after excavation/drilling 38

3.2.8 Excavation induced structural changes 39

3.2.9 Clogging..... 41

3.2.10 Post-test artefacts 42

3.3 "Skin-effect" depths..... 43

4 Conclusions and recommendations..... 45

4.1 Summary 45

4.1.1 Flow 45

4.1.2 Transport 46

4.1.3 Relevance to repository performance..... 47

4.1.4 Tabular summary of processes 47

4.2 Conclusions 50

4.2.1 Relevance to site characterisation..... 52

4.2.2 Relevance to performance assessment 52

4.3 Recommendations 52

References 55

Table of figures 64

List of tables..... 65

Appendix A Tentative model for degassing at a borehole at Äspö..... 66

Appendix B Advection opposing diffusion..... 67

Appendix C Simple model of fracture connectivity and skin 69

Appendix D Process characteristics 71