

Table of Content

	Abstract.....	I
	Zusammenfassung	II
	Acknowledgement.....	III
1	Introduction.....	1
2	Background.....	3
3	Basics for the numerical modelling.....	5
3.1	Structure of modelling work	5
3.2	Applied constitutive equations.....	5
3.2.1	Mechanical laws	6
3.2.2	Hydraulic laws	6
3.2.3	Thermal laws	7
3.2.4	Process couplings.....	8
4	1st modelling phase – single phase flow	11
4.1	Basic scenario	12
4.2	Scenario variations	15
4.2.1	Scenario b – softer material	16
4.2.2	Scenario c – higher grain compressibility	17
4.2.3	Scenario d – changed initial saturation	19
4.2.4	Scenario e – unified mesh discretization	21
4.2.5	Scenario f – user-specified mesh discretization	24
4.2.6	Scenario g – including process couplings	26
4.3	Discussion	29
5	2nd modelling phase – two phase flow.....	35
5.1	Basic scenario	35
5.2	Scenario variations	38

5.2.1	Scenario b – changed boundary conditions after 10,000 years	38
5.2.2	Scenario c – analytical boundary condition	41
5.2.3	Scenario d – analytical boundary conditions and change of conditions after 10,000 years.....	43
5.3	Discussion	45
6	3rd modelling phase – backfilled and sealed drift.....	49
6.1	Basic scenario	50
6.2	Scenario variations	53
6.2.1	Scenario b – no mechanics.....	54
6.2.2	Scenario c – completely fixed boundaries.....	56
6.2.3	Scenario d – variation of effective stress definition.....	57
6.2.4	Scenario e – softer backfill material	58
6.2.5	Scenario f – coarser backfill material	60
6.2.6	Scenario g – perfectly mobile fluids.....	61
6.2.7	Scenario h – homogenous retention curves	63
6.2.8	Scenario i – constant gas generation	66
6.3	Discussion	68
7	4th modelling phase – THM-coupled problem	71
7.1	Pre-simulation: TM-coupled, homogenized model	71
7.2	Modelling procedure	73
7.2.1	Step a – TM-coupled model.....	75
7.2.2	Step b – TH-coupled model	78
7.2.3	Step c – THM-coupled model with thermal source	81
7.2.4	Step d – THM-coupled model with thermal and gas source	84
7.3	Discussion	87
8	Discussion and conclusion.....	91
	References	93
	List of figures.....	97

	List of tables	105
A	General overview about the models.....	107
B	Retention curves.....	109
B.1	Retention curve for the 1 st modelling phase	109
B.2	2 nd modelling phase	109
B.3	3 rd modelling phase.....	110
B.4	4 th modelling phase.....	110
C	Supplements for the 1st modelling stage	111
C.1	Scenario e – unified mesh discretization	111
C.2	Scenario f – user-specified mesh discretization	112
C.3	Scenario g – including process couplings	112
D	Supplements for the 2nd modelling phase.....	113
D.1	Scenario b – changed boundary conditions after 10,000 years	113
D.2	Scenario c - analytical boundary condition	115
D.3	Scenario d – analytical boundary condition and change of conditions after 10,000 years.....	116
E	Supplements for the 3rd modelling phase	119
E.1	Scenario c – completely fixed boundaries.....	119
E.2	Scenario e – softer backfill material	120
E.3	Scenario f – coarser backfill material	121
E.4	Scenario g – perfectly mobile fluids.....	123
E.5	Scenario h – homogenous retention curves	124
F	Supplements for the 4th modelling phase	125
F.1	TH-coupled model	125
F.2	THM-coupled model with thermal source	126
F.3	THM-coupled model with thermal and gas source	128