

Table of contents

Acknowledgements	I
Abstract.....	III
Zusammenfassung	V
1 Introduction	1
1.1 Background	1
1.2 Hysteresis of the sorption and desorption	1
1.3 Scanlines.....	2
1.4 Temperature-dependence of the isotherms	4
1.5 Conventions	4
1.6 Microstructural changes by swelling in a confined space	6
1.7 Motivation for investigating different bentonites	7
2 Measurement techniques.....	9
2.1 Set-up with desiccators.....	9
2.2 Set-up with the Vapour Sorption Analyzer	11
3 Hysteresis of the isotherms	15
3.1 Measurements	15
3.1.1 MX-80.....	15
3.1.2 Calcigel.....	17
3.2 Analytical functions	18
3.2.1 MX-80.....	18
3.2.2 Calcigel.....	22
4 Scanlines	25
4.1 Assumptions and conventions	25
4.2 Measurements	26
4.2.1 MX-80.....	26
4.2.1.1 Additional data on the isotherms	26
4.2.1.2 Adsorption scanlines.....	27
4.2.1.3 Desorption scanlines.....	30
4.2.2 Calcigel.....	30
4.2.2.1 Additional data on the isotherms	30

4.2.2.2	Adsorption scanlines	31
4.2.2.3	Desorption scanlines	33
4.3	Analytical functions	35
4.3.1	Principle considerations	35
4.3.2	MX-80	36
4.3.3	Calcigel	42
5	Dependence on temperature	45
5.1	Measurements up to 90 °C in an oven	45
5.1.1	Temperature evolution	45
5.1.2	Stability of the desiccator atmospheres and timeline	47
5.1.3	Relative humidity and water content	47
5.1.3.1	Test preparations – days 0 to 10	48
5.1.3.2	Heating up to 30 °C – days 10 to 307	49
5.1.3.3	Heating up to 60 °C – days 307 to 484	52
5.1.3.4	Heating up to 90 °C – days 485 to 791	54
5.1.3.5	Cooling down to 60 °C – days 792 to 1010	58
5.1.3.6	Cooling down to 30 °C – days 1010 to 1211	59
5.1.4	Conclusions concerning the isotherms	61
5.2	Measurements up to 55 °C with the VSA	65
5.2.1	Finding a successful strategy	65
5.2.2	Adopted procedure	67
5.2.3	Test results	69
5.2.3.1	MX-80	69
5.2.3.2	Calcigel	72
5.3	Analytical functions	72
5.3.1	MX-80	72
5.3.2	Calcigel	75
6	Confined conditions	77
6.1	Motivation and test plan	77
6.2	Solutions for the test cells	77
6.3	Difficulties with printed test cells	79
6.4	Further pre-tests on plastic printer materials	82
6.5	Test plan and results	87

7	Implementation of the new features in code VIPER	91
7.1	New features	91
7.2	Isotherms and scanlines	91
7.2.1	Labelling individual scanlines	91
7.2.2	Considering confined conditions.....	92
7.3	Water loss due to heating	94
8	Influence on numerical models.....	95
8.1	Common basis of the numerical models	95
8.2	Isothermal wetting.....	96
8.3	Isothermal drying	100
8.4	“Arbitrary” initial conditions	103
8.4.1	MX-80.....	103
8.4.2	Calcigel.....	106
8.5	Changing boundary conditions between wetting and drying	108
8.6	Moisture re-distribution due to heating	113
8.6.1	Common model features	113
8.6.2	Discussion of the model for MX-80.....	114
8.6.3	Model comparison.....	119
9	Summary, conclusions and recommendations	123
9.1	Summary and conclusions.....	123
9.1.1	Topic 1: Hysteresis of the isotherms	125
9.1.2	Topic 2: Scanlines.....	126
9.1.3	Topic 3: Temperature-dependence of the isotherms	128
9.1.3.1	Measurements up to 90 °C in an oven	128
9.1.3.2	Measurements up to 55 °C with the VSA	129
9.1.4	Topic 4: Microstructural changes under confined conditions.....	132
9.1.5	Influence on modelling	134
9.2	Recommendations	137
9.2.1	General remark	137
9.2.2	Experimental work	137
9.2.3	Modelling	138

References	141
Table of figures	145
List of tables.....	155
A Appendix: Pre-test for measurements with desiccators	157
B Appendix: Measurement results for free swelling bentonite	159
B.1 MX-80.....	159
B.1.1 Hysteresis	159
B.1.2 Adsorption scanlines.....	162
B.1.3 Desorption scanlines.....	163
B.1.4 Temperature dependence	165
B.1.4.1 Hysteresis and scanlines at increased temperature	165
B.1.4.2 Weight at varying temperature	168
B.2 Calcigel.....	176
B.2.1 Hysteresis	176
B.2.2 Adsorption scanlines.....	177
B.2.3 Desorption scanlines.....	178
B.2.4 Temperature dependence	180
B.2.4.1 Hysteresis and scanlines at increased temperature	180
B.2.4.2 Weight at varying temperature	182
C Appendix: Descriptions of numerical models.....	189
C.1 Reference data set.....	189
C.2 Variations	190